

Карбонизирано тополово дърво е вид дървесина, която се подлага на високотемпературна топлинна обработка, което повишава издръжливостта и устойчивостта на корозия. Цветът му потъмнява, създавайки уникален естетически ефект. Този процес прави дървото по-стабилно, намалява разширяването или свиването, причинено от промени във влажността, и подобрява устойчивостта на вредители и природни бедствия. Карбонизираната дървесина също се счита за екологично чист материал, тъй като нейното производство не разчита на химически консерванти.



Карбонизираната тополова дървесина обикновено се използва за външни мебели, огради, палуби и озеленяване. Неговата стабилна производителност също го прави подходящ за използване около плувни басейни и други среди с висока влажност. Екологичните свойства на карбонизираното дърво го правят популярен избор при устойчив дизайн на сгради, подходящ за стени, подове и интериорна декорация.



Ние сме фабрика за масивна дървесина и меламинови плоскости с над 10-годишна история в Китай. Сега ние си сътрудничим с повече от 100 мебели, шкафове, дървопреработватели и компании за търговия с дървесина от световния пазар на дървесина.



Нашата сертификация

[illegible]

设计：杨金生 制图：李德军 审核：张广

CERTIFICATE OF APPROVAL

SHANDONG MUZHIYUAN INDUSTRIAL DEVELOPMENT CO., LTD.
 Certified as a Yuan Yuan Industrial Ltd. (Shandong Muzhiyuan Industrial Development Co., Ltd.) ISO 9001:2000, ISO 14001:2004, and ISO 18001:2003 certified company. The company is a leading manufacturer of various types of industrial machinery and equipment. The company is a leading manufacturer of various types of industrial machinery and equipment. The company is a leading manufacturer of various types of industrial machinery and equipment.

PERMITS/PLANS ADMINISTRATIVE BUILDING, DARTMOUTH COLLEGE
DOVER, NEW HAMPSHIRE

CHINA

The following information is provided for informational purposes only. It is not intended to be used as a substitute for professional advice. The information is provided for informational purposes only. It is not intended to be used as a substitute for professional advice. The information is provided for informational purposes only. It is not intended to be used as a substitute for professional advice.

Copyright © 2000 by The McGraw-Hill Companies, Inc. All rights reserved. Printed in the United States of America. This book is printed on acid-free paper.

ISBN 0-07-000000-0

The McGraw-Hill Companies

Contribution Services International, LLC

THE UNIVERSITY OF CHICAGO PRESS

Copyright © 2000 by McGraw-Hill, Inc.

LAS

Bureau Veritas Certification

HEZE WOOD EDGE WOOD INDUSTRY CO., LTD.
PENGZHUANG VILLAGE, DATUN TOWN, DONGMING COUNTY, HEZE
CITY, SHANDONG PROVINCE CHINA 274000

Russian Vector Certification Meeting SAII certifies that the company has implemented a PSC TM product group control system according to the Power Standards Council TM certification system. In the above location and occupies with the requirements of Standard

FSC Chain of Custody Certification standard, No.: FSC-COC-40-004 V 3.0

For its untold story concerning

Manufacture and trading of wood product Certified FSC 100% and FSC Mix.

*Updated list of products & species on the FSC database (<http://fsc.org>)

Type of certification: Single

Original certification date:	05-02-2022
Date of certification expiration:	05-02-2023
Expiration date:	04-02-2028
ISO Certificate code:	09-000-11
ISO Certificate No. / Version:	00000000
Contract No:	13077454
Issue date:	09-07-2022

Signed on behalf of Bureau: _____
Certification: _____

This validity of this certificate shall be contingent on the following: This certificate implies and contains evidence that a particular position occupied by the certificate holder is a FRC position. FRC Controlled Asset, Proceeds of Offense, subject is held by the certificate holder or only be controlled interest by the scope of this certificate when the required FRC have a clearly stated in order and follow documents.

For further information, please contact the following:

© 2004 Blackwell Publishing Ltd, *Journal of Internal Medicine* 255: 105–112