

Produktübersicht

Karbonisierter Pappel ([Chinesische Rosenholzbrett](#)) ist eine Art modifiziertes Holz nach einer Hochtemperatur-Carbonisierungsbehandlung unter Verwendung hochwertiger Pappel als Rohstoff und unter hoher Temperaturumgebung für die Pyrolysebehandlung, sodass die physikalischen und chemischen Eigenschaften der Holzveränderung wodurch eine hervorragende Leistung erzielt wird.

Eigenschaften

Umweltfreundlich und gesund: karbonisiert mit physikalischen Methoden, ohne Chemikalien, ungiftig, harmlos, sicher und umweltfreundlich, entsprechend den internationalen Umweltstandards.

Anti-Korrosion und Anti-Insekten: Die Hochtemperaturumgebung tötet effektiv die Pilze und Insekteneier im Holz ab, zerstört ihre Lebensumgebung, verleiht dem Holz eine hervorragende Anti-Korrosion und Anti-Insekten-Eigenschaften und verlängert das Lebensdauer des Lebens.

Stabilität und Haltbarkeit: Der Carbonisierungsprozess reduziert die Feuchtigkeitsabsorption des Holzes, verbessert die dimensionale Stabilität und macht es weniger anfällig für Verformungen und Risse, sodass sie für eine Vielzahl von klimatischen Bedingungen geeignet ist.

Natürliche Textur: Carbonized Wood hat eine klarere und natürlichere Textur, weiche Farbe und einzigartige dekorative Wirkung und kann in unterschiedliche Tiefen karbonisiert werden, um unterschiedliche Farbeffekte entsprechend der Nachfrage zu erhalten.

Einfach zu warten: Die Oberfläche von karbonisiertem Pappelholz ist so gut wie leicht zu reinigen und zu warten. Sie müssen nur regelmäßige Holzwachsöl auftragen, um seine Schönheit und Leistung zu halten. □



□ [China karbonisierte Pappelholzproduktion](#) □

Anwendung

Aufgrund seiner hervorragenden Leistung wird Pappelkarbid in den folgenden Bereichen häufig

verwendet:

Innenausstattung: Bodenbeläge, Wandpaneele, Decke, Möbel, Treppen, Türen und Fenster usw.

Außenlandschaft: Boden, Zaun, Blumenkiste, Pavillon, Holzhaus, wasserfreundliche Plattform usw.

Andere Felder: Kunsthandwerk, Musikinstrumente, Verpackungsmaterialien usw.

Produktspezifikation

Die Spezifikationen von karbonisiertem Pappel ([Großhandel von Thermo Wood in China.](#)) können nach den Kunden angepasst werden. "Anforderungen. Zu den allgemeinen Spezifikationen gehören:

Dicke: 15 mm, 20 mm, 25 mm, 30 mm usw.

Breite: 90 mm, 120 mm, 140 mm, 160 mm, etc.

Länge: 900 mm, 1200 mm, 1500 mm, 1800 mm usw.



Unsere Zertifizierung

菏泽市产品检验检测研究院
检 验 报 告

报告编号: HZQC20171201016 样品编号: 20171201016 共 2 页第 1 页

产品名称	规格	型号规格	委托日期
实木复合地板	1500*185*15	实木复合地板	2017-11-24
生产单位名称	山东恒泰木业有限公司	生产地址	菏泽市牡丹区
委托单位	菏泽市产品质量检验检测研究院	检测项目	甲醛释放量
检测依据	GB 18580-2010	检测方法	GB 18580-2010
检测地点	菏泽市产品质量检验检测研究院	检测日期	2017年11月24日
检测人员	张明	审核人员	张明
检测地点	菏泽市产品质量检验检测研究院	检测日期	2017年11月24日
检测人员	张明	审核人员	张明

注: 本报告自编号由二、三位数表示样品来源顺序号, 四位数字表示报告年份。

检测人: 张明 审核人: 张明 日期: 2017.11.24

Certification Services International, LLC
CERTIFICATE OF APPROVAL

SHANDONG MUZHIYUAN INDUSTRIAL DEVELOPMENT CO., LTD.
SHANDONG PROVINCE, CHINA

The Government of China's inspection and approval authority has approved the quality management system of the company and issued the Certificate of Approval. The company is authorized to use the FSC logo on its products and packaging. The company is required to maintain the quality management system and to provide the necessary information to the certification body. The company is required to provide the necessary information to the certification body. The company is required to provide the necessary information to the certification body.

Certificate Number: CS-2017-001
Issue Date: 2017-11-24

Q: 04871 Certification Services International, LLC
Certification Services International, LLC

The company is authorized to use the FSC logo on its products and packaging. The company is required to maintain the quality management system and to provide the necessary information to the certification body. The company is required to provide the necessary information to the certification body. The company is required to provide the necessary information to the certification body.

Q: 04871 Certification Services International, LLC
Certification Services International, LLC

The company is authorized to use the FSC logo on its products and packaging. The company is required to maintain the quality management system and to provide the necessary information to the certification body. The company is required to provide the necessary information to the certification body. The company is required to provide the necessary information to the certification body.

Q: 04871 Certification Services International, LLC
Certification Services International, LLC

HEZE WOOD EDGE WOOD INDUSTRY CO., LTD.
RENZHUJIAO VILLAGE, DAFU TOWN, DONGNING COUNTY, HEZE
CITY, SHANDONG PROVINCE, CHINA, 274000

Bureau Veritas Certification

Manufacture and trading of wood product Certified FSC 100% and FSC Mix.*

FSC Chain of Custody Certification standard: PUL-FSC-STD-CO-04 V 3.0

For its scope of conformity:
Manufacture and trading of wood product Certified FSC 100% and FSC Mix.*

*Updated list of products is found on the FSC database (info.fsc.org)

Type of certification: Single

Original certification date: 05-02-2017
Date of certification extension: 04-02-2018
Expiration date: 04-02-2020
FSC Certificate No.: COC-COC-1181738
BV Certificate No.: 130848021
Contract No.: 13074052
Issue date: 09-07-2017

Signature of Bureau Veritas Certification Manager

The validity of this certificate is subject to the conditions of the contract. The certificate holder must ensure that the product and the information provided to the certification body are accurate and complete. The certificate holder must ensure that the product and the information provided to the certification body are accurate and complete. The certificate holder must ensure that the product and the information provided to the certification body are accurate and complete.

FSC Chain of Custody Certification standard: PUL-FSC-STD-CO-04 V 3.0

FSC Chain of Custody Certification standard: PUL-FSC-STD-CO-04 V 3.0