

Propriétés physiques

Force et stabilité: Il a une certaine force et ténacité, une densité uniforme et la force peut répondre aux exigences de la construction générale et de la fabrication de meubles ([Radiata Pine Finger-Joined Lumber](#)). Il n'est pas facile d'avoir une déformation et une fissuration graves après un traitement de séchage, avec une efficacité de retrait moyenne et une forte stabilité.

Isolation thermique et absorption du son et réduction du bruit: Les bonnes propriétés d'isolation thermique peuvent prévenir efficacement le transfert de chaleur, réduire la différence de température entre l'intérieur et l'extérieur. L'effet d'absorption du son et de la réduction du bruit est bon, peut réduire l'impact du bruit sur la vie pour créer un environnement de vie calme et confortable.

Performances ignifuges: Le matériau ignifuge au niveau de B1, ne produira pas de fumées toxiques en cas d'incendie, peut protéger efficacement la vie des gens.



□[Pine Radiata](#)□

Performances de traitement

Une faible difficulté de traitement, la coupe, le forage, le rabotage, le clouage et d'autres opérations peuvent être effectuées en douceur, peuvent obtenir une meilleure précision de traitement et une qualité de surface, peuvent être facilement transformées en une variété de formes complexes. Le bois a une bonne puissance de détente des ongles et une forte perméabilité, ce qui facilite le traitement avec une anticorrosion, un séchage, un durcissement et une coloration.

Caractéristiques de l'environnement

Le pin radiata dans le processus de croissance n'est pas soumis à des pesticides chimiques, aux engrais, à la pollution, à l'utilisation du bois de pin radiata de haute qualité, comme matières

premières traitées à partir du panel de protection de l'environnement et sans pollution, est une sorte de matériaux de construction verts.

Large gamme d'utilisations

Champ de construction: couramment utilisé dans le cadre structurel du bâtiment, les fermes de toit, la quille murale, la base de plancher, etc. Sa bonne résistance et sa stabilité peuvent assurer la sécurité structurelle du bâtiment.

Fabrication de meubles: Il convient à la fabrication de différents types de meubles, tels que des tables, des chaises, des lits, des armoires, etc. Il peut présenter divers styles à travers différents processus de traitement de surface, qui peuvent satisfaire les exigences esthétiques de différents consommateurs.

Décoration: Il peut être utilisé pour les lignes décoratives intérieures, les couvercles de porte et de fenêtre, les lignes de plinthe, etc. Il peut également être transformé en panneaux décoratifs pour créer une atmosphère intérieure naturelle et chaude.

Industrie des emballages: En raison de son coût relativement faible, de son traitement facile et de sa force, il est souvent utilisé pour fabriquer toutes sortes de boîtes d'emballage, de plateaux et d'autres matériaux de logistique et de transport.



☐[Radiata Pine Séchage du bois](#)☐

Notes

Grade industriel: une teneur en humidité de 8 à 12%, sciée rugueuse, lisse et plate de tous les côtés, sans défauts, peut avoir de petites imperfections à l'arrière. Principalement utilisé pour les applications qui ne nécessitent pas de normes d'apparence élevées, telles que les boîtes d'emballage

ou les composants structurels non critiques.

Meubles Grade A: Assure un rendement de 60%, des longueurs de coupe de 600 mm ou plus, permettant des nœuds jusqu'à 38 mm. La teneur en humidité est en moyenne de 9%, avec un maximum de 12% autorisé, et convient aux raccords de meubles et aux composants en bois solide.

Meuble Grade B: Assure un rendement de 60%, des longueurs de réduction de 150 mm ou plus, permettant des nœuds allant jusqu'à 38 mm. La teneur en humidité est en moyenne de 9% avec un maximum de 12% autorisé, adapté à la fabrication de raccords de meubles, à des panneaux de bois massif et de joings.

Grade standard: Autoriser les nœuds et les noyaux, une bonne stabilité et une résistance à la compression, une teneur en humidité de 9% en moyenne et 12% maximum, adapté à la production de boîtes, de palettes et de parties invisibles des raccords de meubles.



Notre certification

产品名称	圆木脚垫	规格	型号
生产厂(公司)	浙江永固	产地	浙江省
检验依据	GB 2818-2005	检验数量	
生产单位(地址): 永康市永固木业有限公司			
生产日期	永康市永固木业有限公司	生产日期	浙江永康
送检日期	2017-11-15	检验日期	2017-11-15
检测项目	1. 物理力学性能: 邵氏硬度 DHA 2. 有害物质限量: 甲醛含量 3. 燃烧性能: 阻燃性能 4. 卫生指标: 总挥发性有机物含量 5. 卫生指标: 游离甲醛含量 6. 卫生指标: 总挥发性有机物含量		
检测结果	1. 物理力学性能: 邵氏硬度 DHA 2. 有害物质限量: 甲醛含量 3. 燃烧性能: 阻燃性能 4. 卫生指标: 总挥发性有机物含量 5. 卫生指标: 游离甲醛含量 6. 卫生指标: 总挥发性有机物含量		
检验结论	1. 物理力学性能: 邵氏硬度 DHA 2. 有害物质限量: 甲醛含量 3. 燃烧性能: 阻燃性能 4. 卫生指标: 总挥发性有机物含量 5. 卫生指标: 游离甲醛含量 6. 卫生指标: 总挥发性有机物含量		
检验单位	1. 物理力学性能: 邵氏硬度 DHA 2. 有害物质限量: 甲醛含量 3. 燃烧性能: 阻燃性能 4. 卫生指标: 总挥发性有机物含量 5. 卫生指标: 游离甲醛含量 6. 卫生指标: 总挥发性有机物含量		

委员：杨金士 委员：李德军 主任：张广

CERTIFICATE OF APPROVAL

SHANDONG MUZHIYUAN INDUSTRIAL DEVELOPMENT CO., LTD.

PEROTI, LINDA A. ADMINISTRATIVE MANAGER, DAYTON TOWNSHIP
ENGINEERING COUNTY, WEST CITY
SHANDON, MISSOURI

has demonstrated state-of-the-art inspection and monitoring, the accuracy of the product equivalent to that of the best. The following are the key features of the product:

- **High Accuracy:** The product is designed to provide accurate measurements of the product's physical properties, such as its weight, volume, and density.
- **High Precision:** The product is designed to provide precise measurements of the product's physical properties, such as its weight, volume, and density.
- **High Reliability:** The product is designed to provide reliable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Efficiency:** The product is designed to provide efficient measurements of the product's physical properties, such as its weight, volume, and density.
- **High Flexibility:** The product is designed to provide flexible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Scalability:** The product is designed to provide scalable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Security:** The product is designed to provide secure measurements of the product's physical properties, such as its weight, volume, and density.
- **High Compatibility:** The product is designed to provide compatible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Interoperability:** The product is designed to provide interoperable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Integration:** The product is designed to provide integrated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Automation:** The product is designed to provide automated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Customization:** The product is designed to provide customized measurements of the product's physical properties, such as its weight, volume, and density.
- **High Adaptability:** The product is designed to provide adaptable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Scalability:** The product is designed to provide scalable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Security:** The product is designed to provide secure measurements of the product's physical properties, such as its weight, volume, and density.
- **High Compatibility:** The product is designed to provide compatible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Interoperability:** The product is designed to provide interoperable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Integration:** The product is designed to provide integrated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Automation:** The product is designed to provide automated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Customization:** The product is designed to provide customized measurements of the product's physical properties, such as its weight, volume, and density.
- **High Adaptability:** The product is designed to provide adaptable measurements of the product's physical properties, such as its weight, volume, and density.

For more information, please contact us at info@laser.com or call us at 1-800-123-4567.

© 2023 Laser Technology Inc. All rights reserved.

Quality Control/Technical Manager
Distribution Services International, LLC

1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 26

Product
Distribution Services International, LLC

LAS

Bureau Veritas Certification

HEZE WOOD EDGE WOOD INDUSTRY CO., LTD.
PENGZHILANG VILLAGE, DATUN TOWN, DONGMING COUNTY, HEZE
CITY, SHANDONG PROVINCE CHINA, 274000

Autosan Vertriebs-Gesellschaft mbH certifies that the company has implemented a FSC™ product group control system according to the Forest Stewardship Council™ certification system. In the above location and respects with the requirements of Standard

FSC Chain of Custody Certification standard, No.: FSC-COC-40-004 V 3.0

For its untold story concerning

Manufacture and trading of wood product Certified FSC 100% and FSC Mix.

*Updated list of products & species on the FSC database (<http://fsc.org>)

Type of certification: Single

Original certification date:	05-02-2022
Date of certification decision:	05-02-2022
Expiration date:	04-02-2028
FPO Certificate code:	09-000-11
IN Certificate No. / Version:	070000000
Contract No:	13077452
Issue date:	09-02-2022

Signed on behalf of Bureau: *Horizontal Certification Marking*

The validity of this certificate shall not constitute a liability for any. This certificate shall not be construed as evidence that a particular product supplied by the signatory holds a PRC certified or PRC Certified brand. Products offered, although sold by the certificate holder, are not to be construed as covered by the scope of this certificate when the required PRC label is clearly absent or unclear and subject to assessment.

Correspondence: Dr. J. H. Wu, Department of Cell Biology, University of California, San Diego, La Jolla, CA 92037, USA.
E-mail: jhwu@ucsd.edu

4. For all the products or services that are included in the scope of the certificate, you are obligated to request a Bureau member certification. For certificates covering the property of Bureau member Certification, all requests for representation and the certificate itself shall be reviewed, developed in Bureau/Forum certification requests. All certificates are in English. Tel: 01043040140