

Caratteristiche del prodotto

Materiale eccellente: Vengono selezionati registri di pioppo con un appropriato ciclo di crescita, con grano chiaro e consistenza uniforme, che garantisce la forza e la stabilità delle schede.

Elevato standard di protezione ambientale: L'uso di sostanze chimiche è rigorosamente controllato durante la lavorazione, che è in linea con gli standard ambientali internazionali e protegge la salute di te e della tua famiglia.

Buone prestazioni di elaborazione: Facile da tagliare, perforare, intagliare e altre operazioni di elaborazione, per soddisfare le tue esigenze per una varietà di design creativo, sia che si tratti di mobili [\[Tavola di mobili in rilievo a pioppo carbonizzato\]](#), Oggetti decorativi o componenti architettonici con facilità.

Varietà di dimensioni: Fornire una varietà di dimensioni standard per la tua scelta, ma supporta anche dimensioni personalizzate per soddisfare i requisiti individuali di diversi progetti. Trattamento ricco di superficie: possiamo fornire un primer bianco e altro trattamento superficiale e possiamo anche personalizzare il colore in base alle tue esigenze, per soddisfare diversi requisiti estetici e pratici dell'applicazione.

Buone prestazioni di protezione: Ha alcune prestazioni impermeabili, anti-scratch e anti-insetto, che prolungano la durata del prodotto e riduce i costi di manutenzione.



[\[Poplabar carbonizzato in Cina all'ingrosso\]](#)

Vantaggi del prodotto

Luce come una maneggevolezza di piuma e risparmio di manodopera: densità di soli 0,42 g/cm³, 30% più leggera della quercia, più gestione e taglio a risparmio di manodopera.

Texture dritta, valore online: Colore alla crema leggera naturale chicco di legno morbido, facilmente adattabile allo stile scandinavo, stile di tronchi, stile industriale.

Facile da elaborare, amichevole alle prime armi: Caratteristiche del legno tenero, elaborazione manuale/meccanica senza pressione, bordi di taglio liscio senza rugosità.

Certificazione ecologica, più tranquillità: La certificazione forestale sostenibile FSC è facoltativa, riducendo l'onere sulla terra e aggiungendo alla qualità



Vantaggi esclusivi

Impegno zero formaldeide: L'uso di adesivi ecologici, attraverso il test SGS, le famiglie di madre e neonati possono essere certi di utilizzare.

Asciugatura ultra-stabile: Il contenuto di acqua è strettamente controllato all'8%-12%, anti-cracking e deformazione, comune alle regioni nord e sud.

Personalizzazione unica: Incisione laser, taglio a forma, tintura batch - Nomina la domanda, lo facciamo!

[illegible]

委员：杨金士 委员：李德军 主任：张广

CERTIFICATE OF APPROVAL

SHANDONG MUZHIYUAN INDUSTRIAL DEVELOPMENT CO., LTD.

PEROTI, LINDA A. ADMINISTRATIVE MANAGER, DARTMOUTH COLLEGE, MEDICAL CENTER, 700 SOUTH STREET, NEWTON, MASSACHUSETTS 02459-3000

has demonstrated state-of-the-art inspection and monitoring, the accuracy of the product equivalent to that of the best. The following are the key features of the product:

- **High Accuracy:** The product is designed to provide accurate measurements of the product's physical properties, such as its weight, volume, and density.
- **High Precision:** The product is designed to provide precise measurements of the product's physical properties, such as its weight, volume, and density.
- **High Reliability:** The product is designed to provide reliable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Efficiency:** The product is designed to provide efficient measurements of the product's physical properties, such as its weight, volume, and density.
- **High Flexibility:** The product is designed to provide flexible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Scalability:** The product is designed to provide scalable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Security:** The product is designed to provide secure measurements of the product's physical properties, such as its weight, volume, and density.
- **High Compatibility:** The product is designed to provide compatible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Interoperability:** The product is designed to provide interoperable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Integration:** The product is designed to provide integrated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Automation:** The product is designed to provide automated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Customization:** The product is designed to provide customized measurements of the product's physical properties, such as its weight, volume, and density.
- **High Adaptability:** The product is designed to provide adaptable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Scalability:** The product is designed to provide scalable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Security:** The product is designed to provide secure measurements of the product's physical properties, such as its weight, volume, and density.
- **High Compatibility:** The product is designed to provide compatible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Interoperability:** The product is designed to provide interoperable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Integration:** The product is designed to provide integrated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Automation:** The product is designed to provide automated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Customization:** The product is designed to provide customized measurements of the product's physical properties, such as its weight, volume, and density.
- **High Adaptability:** The product is designed to provide adaptable measurements of the product's physical properties, such as its weight, volume, and density.

For more information, please contact us at info@laser.com or call us at 1-800-123-4567.

LASER

1-800-123-4567

Quality Control/Technical Manager
Distribution Services International, LLC

1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 26

Product
Distribution Services International, LLC

LAS

Bureau Veritas Certification

HEZE WOOD EDGE WOOD INDUSTRY CO., LTD.
PENGZHILANG VILLAGE, DATUN TOWN, DONGMING COUNTY, HEZE
CITY, SHANDONG PROVINCE CHINA, 274000

Autosan Vertriebs-Gesellschaft mbH certifies that the company has implemented a FSC™ product group control system according to the Forest Stewardship Council™ certification system. In the above location and respects with the requirements of Standard

FSC Chain of Custody Certification standard, No.: FSC-COC-40-004 V 3.0

For its untold story concerning

Manufacture and trading of wood product Certified FSC 100% and FSC Mix.

*Updated list of products & species on the FSC database (<http://fsc.org>)

Type of certification: Single

Original certification date:	05-02-2022
Date of certification decision:	05-02-2022
Expiration date:	04-02-2028
FPO Certificate code:	09-000-11
IN Certificate No. / Version:	070000000
Contract No:	13077452
Issue date:	09-02-2022

Signed on behalf of Bureau: *Horizontal Certification Marking*

The validity of this certificate shall not constitute a liability for any. This certificate shall not be construed as evidence that a particular product supplied by the signatory holder is a POC certified or POC Compliant item. Products offered, shipped or sold by the certificate holder are only to be consumed (or used) by the owner of this certificate when the required POC item is clearly shown on order and delivery documents.

[illegible]

4. For all the products or services that are included in the scope of the certificate, you are obligated to request a Bureau member certification. For certificates covering the property of Bureau member institutions, all requests for representation and the certificate itself shall be reviewed, developed and issued by the certification agency. All certificates are in English. Tel: 010-6505-0410