

პროდუქტის მიმოხილვა

კარბონიზებული poplar ([ჩინური ვარდების დაფა](#)) არის ერთგვარი მოდიფიცირებული ხის მაღალი ტემპერატურის კარბონიზაციის მკურნალობის შემდეგ, მაღალი ხარისხის საყრდენის, როგორც ნედლეულის გამოყენებით, და მაღალი ტემპერატურის გარემოში პირობების სამკურნალოდ, ისე, რომ ხის შეცვლის ფიზიკური და ქიმიური თვისებები, რითაც უფრო შესანიშნავი შესრულება მიიღებს.

მახასიათებლები

ეკოლოგიურად კეთილგანწყობილი და ჯანმრთელი: გაზიარებულია ფიზიკური მეთოდებით, ქიმიკატების დამატების გარეშე, არატოქსიკური, უვნებელი, უსაფრთხო და ეკოლოგიურად, საერთაშორისო გარემოსდაცვითი სტანდარტების შესაბამისად.

ანტიკოროზია და საწინააღმდეგო ინსტალაციები: მაღალი ტემპერატურის გარემო ეფექტურად კლავს სოკოებს და მწერების კვერცხებს ხისგან, ანადგურებს მათ საცხოვრებელ გარემოს, აძლევს ხის შესანიშნავი ანტიკოროზირებას და ანტი-იზოლირებულ თვისებებს და გახანგრძლივებს მის მომსახურებას.

სტაბილურობა და გამძლეობა: კარბონიზაციის პროცესი ამცირებს ხის ტენიანობის შეწოვას, აუმჯობესებს განზომილებიან სტაბილურობას და მას ნაკლებად მგრძნობიარეა დეფორმაციისა და ბზინავებით, რაც მას შესაფერისია კლიმატური პირობების ფართო სპექტრისთვის.

ბუნებრივი ტექსტურა: კარბონიზებულ ხის აქვს უფრო ნათელი და უფრო ბუნებრივი ტექსტურა, რბილი ფერი და უნიკალური დეკორატიული ეფექტი და შეიძლება ნახშირბადის სხვადასხვა სიღრმეში, მოთხოვნის შესაბამისად, სხვადასხვა ფერის ეფექტების მისაღებად.

მარტივი შენარჩუნება: კარბონიზებული საყელს ხის ზედაპირი განიხილება, რომ ადვილად გაწმენდა და შენარჩუნება, საჭიროა მხოლოდ ხის ცვილის ზეთის გამოყენება, რომ შეინარჩუნოს მისი სილამაზე და შესრულება.



□ [ჩინეთი ნახშირბადის ხის ხის წარმოებას](#) □

გამოყენება

შესანიშნავი შესრულების გამო, Poplar Carbide ფართოდ გამოიყენება შემდეგ სფეროებში:

ინტერიერის გაფორმება: იატაკი, კედლის პანელები, ჭერი, ავეჯი, კიბეები, კარები და ფანჯრები და ა.შ.

გარე ლანდშაფტი: იატაკი, ღობე, ყვავილის ყუთი, პავილიონი, ხის სახლი, წყლის მეგობრული პლატფორმა და ა.შ.

სხვა სფეროები: ხელნაკეთობები, მუსიკალური ინსტრუმენტები, შეფუთვის მასალები და ა.შ.

პროდუქტის სპეციფიკაცია

ნახშირბადის პოპლარის სპეციფიკაციები ([თერმო ხის საბითუმო ვაჭრობა ჩინეთში](#)) შეიძლება მორგებული იყოს მომხმარებლების მიხედვით "მოთხოვნები, საერთო სპეციფიკაციები მოიცავს:

სისქე: 15 მმ, 20 მმ, 25 მმ, 30 მმ და ა.შ.

სიგანე: 90 მმ, 120 მმ, 140 მმ, 160 მმ და ა.შ.

სიგრძე: 900 მმ, 1200 მმ, 1500 მმ, 1800 მმ და ა.შ.



ჩვენი სერტიფიკაცია

产品名称	圆木脚垫	规格		型号名称	
生产厂(公司)	广州市德安	执行标准	GB 2818-2006	检验依据	
送检数量及用途: 送检数量: 3个; 用途: 用于汽车脚垫					
生产单位地址: 东莞市					
生产厂家	圆木脚垫技术有限公司			电话	廖仕强
送检人	陈江	联系电话	13711111111	检测日期	2017-11-01
额定电压	额定功率: 额定电压: 6kV			委托人	黄志坚
使用环境				检测机构	广东产品质量监督研究院
生产日期				样品编号	0101
备注	其他情况: 无			报告编号	0101
实物质量判定					
检测结果					
检验结论	符合产品标准要求 (合格) 符合 GB 2818-2006 要求合格 无不合格项。 送检日期: 2017年11月1日				

委员：杨金士 委员：李德军 主任：张广

CERTIFICATE OF APPROVAL

SHANDONG MUZHIYUAN INDUSTRIAL DEVELOPMENT CO., LTD.

PEROTI, LINDA A. ADMINISTRATIVE MANAGER, DAYTON TOWNSHIP
ENGINEERING COUNTY, WEST CITY
SHANDON, MISSOURI

has demonstrated state-of-the-art inspection and monitoring, the accuracy of the product equivalent to that of the best. The following are the key features of the product:

- **High Accuracy:** The product is designed to provide accurate measurements of the product's physical properties, such as its weight, volume, and density.
- **High Precision:** The product is designed to provide precise measurements of the product's physical properties, such as its weight, volume, and density.
- **High Reliability:** The product is designed to provide reliable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Efficiency:** The product is designed to provide efficient measurements of the product's physical properties, such as its weight, volume, and density.
- **High Flexibility:** The product is designed to provide flexible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Scalability:** The product is designed to provide scalable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Security:** The product is designed to provide secure measurements of the product's physical properties, such as its weight, volume, and density.
- **High Compatibility:** The product is designed to provide compatible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Interoperability:** The product is designed to provide interoperable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Integration:** The product is designed to provide integrated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Automation:** The product is designed to provide automated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Customization:** The product is designed to provide customized measurements of the product's physical properties, such as its weight, volume, and density.
- **High Adaptability:** The product is designed to provide adaptable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Scalability:** The product is designed to provide scalable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Security:** The product is designed to provide secure measurements of the product's physical properties, such as its weight, volume, and density.
- **High Compatibility:** The product is designed to provide compatible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Interoperability:** The product is designed to provide interoperable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Integration:** The product is designed to provide integrated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Automation:** The product is designed to provide automated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Customization:** The product is designed to provide customized measurements of the product's physical properties, such as its weight, volume, and density.
- **High Adaptability:** The product is designed to provide adaptable measurements of the product's physical properties, such as its weight, volume, and density.

For more information, please contact us at info@ias.com or [1-800-555-1234](tel:+18005551234).

© 2023 IAS. All rights reserved.

Quality Control/Technical Manager
Distribution Services International, LLC

1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 26

Product
Distribution Services International, LLC

LAS

Bureau Veritas Certification

HEZE WOOD EDGE WOOD INDUSTRY CO., LTD.
PENGZHUANG VILLAGE, DATUN TOWN, DONGMING COUNTY, HEZE
CITY, SHANDONG PROVINCE CHINA 274000

Russian Vector Certification Meeting SAII certifies that the company has implemented a PSC TM product group control system according to the Power Standards Council TM certification system. In the above location and occupies with the requirements of Standard

FSC Chain of Custody Certification standard, No.: FSC-COC-40-004 V 3.0

For its untold story concerning

Manufacture and trading of wood product Certified FSC 100% and FSC Mix.

*Updated list of products & species on the FSC database (<http://fsc.org>)

Type of certification: Single

Original certification date:	05-07-2022
Date of certification expiration:	05-07-2025
Expiration date:	04-07-2025
ISO Certificate code:	09-000-11
ISO Certificate No. / Version:	00000000
Contract No:	13077454
Issue date:	05-07-2022

Signed on behalf of Bureau: _____ Certification: M.Altre

The validity of this certificate shall be contingent upon the recipient's compliance with the conditions specified that a particular service is provided by the certificate holder. FPC certifies to the Contracted third parties, Prospective clients, applicants or staff by the certificate holder as only for the stated purpose(s) the scope of this certificate when the recipient (EE) has a clearly stated to order and Adheres to the same.

Dr. Michael Joseph Green, Department of Psychology, University of Illinois at Chicago, 4400 S. Maryland Ave., Chicago, IL 60647, USA. E-mail: mjgreen@uic.edu

© 2004 Blackwell Publishing Ltd, *Journal of Internal Medicine* 255: 105–112