

Kieta tekstūra: Hinoki kiparisas ([Kiniška kipariso medžio lenta](#)) yra kietos ir smulkiagrūdės tekstūros. Jo ore išdžiūvusio tankis paprastai yra nuo 0,5 iki 0,66 g/cm³, todėl jis pasižymi puikiu atsparumu dilimui ir gniuždymui. Iš jo pagaminti baldai ar statybinės detalės gali būti naudojamos ilgą laiką.

Kvapo charakteristikos: Hinoki kiparisas skleidžia gaivų, švelnų ir ilgai išliekantį natūralų aromatą. Šis aromatas gali ne tik nuraminti žmonių nervus, padėdamas atpalaiduoti kūną ir protą bei malšinti stresą, bet ir turi vabzdžius atbaidantį poveikį, gali užkirsti kelią vabzdžių pažeidimams ir apsaugoti vidinę medienos struktūrą.

Patvarumas: Sudėtyje yra natūralių puvimą stabdančių ingredientų, kurie gali veiksmingai atsispirti puvimui ir vabzdžiams kenkėjams. Net ir santykinai drėgnoje aplinkoje jis gali ilgą laiką išlaikyti savo struktūrinį vientisumą ir ilgą tarnavimo laiką. Daugelis senovinių pastatų, pastatytų iš hinoki kipariso, buvo gerai išsaugoti šimtus metų.



([Kinija tiekia Hinoki kipariso lentas](#))

Namų baldų šedevrai

Hinoki kiparisas yra ideali medžiaga aukštos klasės baldams gaminti. Nuo elegantiškų stalų ir kėdžių, išskirtinių drabužių spintų iki patogių lovų [hinoki kiparisiniai baldai](#) įkvėpia jūsų namų erdvę natūralia šiluma ir elegantišku stiliumi. Jo unikalus aromatas ir graži tekstūra leidžia pasijusti tarsi miške, mėgautis ramybe ir jaukumu.

Architektūrinis dekoravimas

Architektūrinės apdailos srityje hinoki kiparisas taip pat puikiai veikia. Naudojamas patalpų luboms, sienų plokštėms ir grindims kloti, galima sukurti šiltą, patogią ir tekstūruotą gyvenamąją aplinką. Ypač japoniško ar kiniško stiliaus dekoracijose, kurios siekia natūralaus stiliaus, hinoki kipariso taikymas gali puikiai interpretuoti estetinę tradicijos ir modernumo integravimo sampratą.

Meniniai amatai

Dėl puikios hinoki kipariso tekstūros jis yra puikus pasirinkimas rankdarbiams drožti. Drožėjai gali

visiškai parodyti savo įgūdžius ant hinokio kipariso, kurdami ryškius medžio papuošalus, subtilias Budos statulas ir kitus rankdarbius. Šie kūriniai turi ne tik meninę vertę, bet ir yra kultūros bei emocijų paveldėjimo nešėjai.

Vonios malonumai

Dėl savo gerų antikoroziinių ir antibakterinių savybių hinoki kiparisas ypač tinka vonios kambario gaminiams gaminti. Hinoki kipariso vonia leidžia pilnai mėgautis jos natūraliu aromatu maudantis vonioje, atpalaiduojant kūną ir mintis. Tokie gaminiai kaip hinoki cypress tualetų sėdynės ir rankšluosčių kabiklos yra ne tik praktiški, bet ir suteikia vonios erdvei natūralaus grožio.

Mes puikiai žinome hinoki kipariso brangumą, todėl griežtai kontroliuojame kokybę kiekviename etape. Nuo kruopštaus žaliavų parinkimo iki nuolatinio gamybos technikos tobulinimo, o vėliau iki griežtos gatavų gaminių patikros – esame įsipareigoję pateikti jums aukščiausios kokybės hinoki kipariso gaminius. Kiekvienas produktas įkūnija mūsų nuolatinę kokybės siekimą ir gražius lūkesčius dėl jūsų gyvenimo kokybės. Pasirinkus mūsų hinoki kipariso gaminius, reikia pasirinkti kokybišką gyvenimo būdą harmonijoje su gamta.



([Didmeninė prekyba Shandong Cypress Wood Factory](#))

Mūsų sertifikatas

产品名称	圆木脚垫	规格	型号
生产厂(公司)	浙江永固	产地	浙江省
检验依据	GB 2818-2005	检验数量	
生产单位(地址): 永康市永固木业有限公司			
生产日期	永康市永固木业有限公司	生产日期	浙江永康
检验日期	2017-11-15	检验日期	2017-11-15
检验项目	邵氏硬度 60A	检验项目	邵氏硬度
检验结果	邵氏硬度 60A	检验结果	邵氏硬度 60A
检验结论	合格	检验结论	合格
检验日期	2017-11-15	检验日期	2017-11-15
检验地点	永康市永固木业有限公司	检验地点	永康市永固木业有限公司
检验人员	永康市永固木业有限公司	检验人员	永康市永固木业有限公司
检验单位	永康市永固木业有限公司	检验单位	永康市永固木业有限公司
检验日期	2017-11-15	检验日期	2017-11-15
检验地点	永康市永固木业有限公司	检验地点	永康市永固木业有限公司
检验人员	永康市永固木业有限公司	检验人员	永康市永固木业有限公司
检验单位	永康市永固木业有限公司	检验单位	永康市永固木业有限公司

委员：杨金士 委员：李德军 主任：张广

CERTIFICATE OF APPROVAL

SHANDONG MUZHIYUAN INDUSTRIAL DEVELOPMENT CO., LTD.

PEROTI, LINDA A. ADMINISTRATIVE MANAGER, DAYTON TOWNSHIP
ENGINEERING COUNTY, WEST CITY
SHANDON, MISSOURI

has demonstrated state-of-the-art inspection and monitoring, the accuracy of the product equivalent to that of the best. The following are the key features of the product:

- **High Accuracy:** The product is designed to provide accurate measurements of the product's physical properties, such as its weight, volume, and density.
- **High Precision:** The product is designed to provide precise measurements of the product's physical properties, such as its weight, volume, and density.
- **High Reliability:** The product is designed to provide reliable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Efficiency:** The product is designed to provide efficient measurements of the product's physical properties, such as its weight, volume, and density.
- **High Flexibility:** The product is designed to provide flexible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Scalability:** The product is designed to provide scalable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Security:** The product is designed to provide secure measurements of the product's physical properties, such as its weight, volume, and density.
- **High Compatibility:** The product is designed to provide compatible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Interoperability:** The product is designed to provide interoperable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Integration:** The product is designed to provide integrated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Automation:** The product is designed to provide automated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Customization:** The product is designed to provide customized measurements of the product's physical properties, such as its weight, volume, and density.
- **High Adaptability:** The product is designed to provide adaptable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Scalability:** The product is designed to provide scalable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Security:** The product is designed to provide secure measurements of the product's physical properties, such as its weight, volume, and density.
- **High Compatibility:** The product is designed to provide compatible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Interoperability:** The product is designed to provide interoperable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Integration:** The product is designed to provide integrated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Automation:** The product is designed to provide automated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Customization:** The product is designed to provide customized measurements of the product's physical properties, such as its weight, volume, and density.
- **High Adaptability:** The product is designed to provide adaptable measurements of the product's physical properties, such as its weight, volume, and density.

For more information, please contact us at info@ias.com or [1-800-555-1234](tel:+18005551234).

© 2023 IAS. All rights reserved.

Quality Control/Technical Manager
Distribution Services International, LLC

1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 26

Product
Distribution Services International, LLC

LAS

Bureau Veritas Certification

HEZE WOOD EDGE WOOD INDUSTRY CO., LTD.
PENGZHILANG VILLAGE, DATUN TOWN, DONGMING COUNTY, HEZE
CITY, SHANDONG PROVINCE CHINA, 274000

Autosan Vertriebs-Gesellschaft mbH certifies that the company has implemented a FSC™ product group control system according to the Forest Stewardship Council™ certification system. In the above location and respects with the requirements of Standard

FSC Chain of Custody Certification standard, No.: FSC-COC-40-004 V 3.0

For its untold story concerning

Manufacture and trading of wood product Certified FSC 100% and FSC Mix.

*Updated list of products & species on the FSC database (<http://fsc.org>)

Type of certification: Single

Original certification date:	05-02-2022
Date of certification decision:	05-02-2022
Expiration date:	04-02-2028
FPO Certificate code:	09-000-11
IN Certificate No. / Version:	070000000
Contract No:	13077452
Issue date:	09-02-2022

Signed on behalf of Bureau: *Horizontal Certification Marking*

The validity of this certificate shall not constitute a liability for any. This certificate shall not be construed as evidence that a particular product supplied by the signatory holds a PRC certified or PRC Certified brand. Products offered, although sold by the certificate holder, are not to be construed as covered by the scope of this certificate when the required PRC label is clearly absent or unclear and subject to assessment.

Correspondence: Dr. J. H. Wu, Institute of Botany, Chinese Academy of Sciences, Beijing 100871, China.
E-mail: wujiahua@ibp.ac.cn

4. For all the products or services that are included in the scope of the certificate, you are obligated to request a Bureau member certification. For certificates covering the property of Bureau member Certification, all requests for representation and the certificate itself shall be reviewed, developed in Bureau/Forum certification requests. All certificates are in English. Tel: 01043040140