

KONS: Parasti veidojas no vairākiem koka sloksņu gabaliņiem, kas savienoti kopā, kas tiek žāvēti, pārbaudīti un citas apstrādes, lai nodrošinātu vienmērīgu tekstūru, bez acīmredzamiem defektiem, kā arī noteikta stipruma un stabilitātes pakāpe, lai nodrošinātu pamata atbalstu paneļiem.

Virsmas slānis: Melamīna piesūcināts līmes plēves papīrs ir laminēts abās kodola materiāla pusēs. Šis raksts ir īpaši apstrādāts ar bagātīgu krāsu un faktūru izvēli, lai atdarinātu dažādu dabisko mežu, piemēram, ozola, valriekstu utt., Izskatās, ir pieejamas arī dažādas vienkāršainas krāsas, lai apmierinātu dažādus dekorēšanas stilus un dizaina vajadzības.

[Melamīna bloka plates piegādes bāze](#)



[Specializēts melamīna bloka dēļā](#)

Estētika: Melamīns piesūcināts līmes plēves papīrs uz spilgtu krāsu virsmas, skaidras tekstūras virsmas var uzrādīt reālu koka tekstūru, lai mēbeles vai dekorācija ar augstu dekoratīvu pakāpi un to nav viegli izbalināt, krāsas maiņu varētu saglabāt ilgu laiku skaistu.

Apstiprināšanas pretestība: laba nodiluma izturība, berzes ikdienas lietošana, skrāpējumi nav viegli atstāt acīmredzamas pēdas uz virsmas, var saglabāt virsmu plakanu un gludu, viegli notīrīt un uzturēt, piemērotu biežai mēbeļu virsmām, piemēram, darbvirsmai, skapju durvīm.

Korozijas rezistence: vispārējai skābei, sārmim, taukiem un spirtā un citiem šķīdinātājiem ir zināma pretestības pakāpe, nav viegli korozijas ar šīm vielām, nav viegli parādīties krāsas maiņa, pūslīši, deģumumēšana un citas parādības virtuvē var būt labāka arī vannas istaba un citas saskares ar ķīmiskām vielām vidē.

Stabilitāte: Tā kā serdes materiāls ir izgatavots no koka sloksnēm, kas saliektas kopā un ir veikta stingra žāvējoša apstrāde, kā arī ar melamīna piesātināta līmējoša plēves papīra ierobežojumiem abās pusēs tas padara dēļu struktūru stabilāku un mazāk ticams, ka tas ir ievērojami deformēts vai saplaisājis vides mitruma un temperatūras izmaiņu dēļ.

Vides aizsardzība: augstas kvalitātes melamīna bloķēšana [Kīna "vienas pieturas aģentūra Melamine Block Board Production"](#) Izmantojot videi draudzīgu līmi, formaldehīda emisija ir zema, saskaņā ar attiecīgajiem nacionālajiem vides standartiem, piemēram, E1, E0 un pat ENF līmeni, var nodrošināt veselības aizsardzību iekštelpu videi. Tomēr tirgū ir arī daži nevienmērīgas kvalitātes produkti,

izvēloties produktus, jāpievērš uzmanība, lai pārbaudītu vides testa pārskatu.



Mēbeļu ražošana: Tas ir parasts materiāls skapju, skapju, grāmatu skapju, TV skapju un cita veida mēbeļu izgatavošanai, un to var izmantot, lai izgatavotu mēbeļu skapju, skapja durvis un citas detaļas, kas var atbilst dažādu mēbeļu stilu un stilu projektēšanas prasībām.

Interjera dekorēšana: Interjera dekorācijā to var izmantot sienu un griestu dekorēšanai, piemēram, apšuvuma veidošanai, griestu modelēšanai utt.; To var izmantot arī nodalījumam un ekrāna ražošanai, pievienojot telpai skaistumu un funkcionalitāti.

Citi lietojumi: to var izmantot arī dažu mazu amatniecības, vitrīnu utt. Ražošanā ar zināmu daudzpusību un praktiskumu. Kopējās specifikācijas

ir 2440 mm garums, 1220 mm platums un 12 mm, 15 mm, 18 mm biezums utt. Jūs varat izvēlēties pareizo specifikāciju atbilstoši īpašajam lietošanas scenārijam un pieprasījumam.



Mūsu sertifikācija

[illegible]

委员：杨金士 委员：李德军 主任：张广

CERTIFICATE OF APPROVAL

SHANDONG MUZHIYUAN INDUSTRIAL DEVELOPMENT CO., LTD.

PERMUTUANO ADMINISTRATIVE VILLAGE, DARTMOUTH
COUNTY, WEST CITY
SHANDONG PROVINCE

has demonstrated state-of-the-art inspection and monitoring, the accuracy of the product equivalent to that of the best. The following are the key features of the product:

- **High Accuracy:** The product is designed to provide accurate measurements of the product's physical properties, such as its weight, volume, and density.
- **High Precision:** The product is designed to provide precise measurements of the product's physical properties, such as its weight, volume, and density.
- **High Reliability:** The product is designed to provide reliable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Efficiency:** The product is designed to provide efficient measurements of the product's physical properties, such as its weight, volume, and density.
- **High Flexibility:** The product is designed to provide flexible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Scalability:** The product is designed to provide scalable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Security:** The product is designed to provide secure measurements of the product's physical properties, such as its weight, volume, and density.
- **High Compatibility:** The product is designed to provide compatible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Interoperability:** The product is designed to provide interoperable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Integration:** The product is designed to provide integrated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Automation:** The product is designed to provide automated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Customization:** The product is designed to provide customized measurements of the product's physical properties, such as its weight, volume, and density.
- **High Adaptability:** The product is designed to provide adaptable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Scalability:** The product is designed to provide scalable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Security:** The product is designed to provide secure measurements of the product's physical properties, such as its weight, volume, and density.
- **High Compatibility:** The product is designed to provide compatible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Interoperability:** The product is designed to provide interoperable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Integration:** The product is designed to provide integrated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Automation:** The product is designed to provide automated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Customization:** The product is designed to provide customized measurements of the product's physical properties, such as its weight, volume, and density.
- **High Adaptability:** The product is designed to provide adaptable measurements of the product's physical properties, such as its weight, volume, and density.

For more information, please contact us at info@laser.com or call us at 1-800-123-4567.

LASER

1-800-123-4567

Quality Control/Technical Manager
Distribution Services International, LLC

1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 26

Product
Distribution Services International, LLC

LAS

Bureau Veritas Certification

HEZE WOOD EDGE WOOD INDUSTRY CO., LTD.
PENGZHUANG VILLAGE, DATUN TOWN, DONGMING COUNTY, HEZE
CITY, SHANDONG PROVINCE CHINA 274000

Russian Vector Certification Meeting SAII certifies that the company has implemented a PSC TM product group control system according to the Power Standards Council TM certification system. In the above location and occupies with the requirements of Standard

FSC Chain of Custody Certification standard, No.: FSC-COC-40-004 V 3.0

For its untold story concerning

Manufacture and trading of wood product Certified FSC 100% and FSC Mix.

*Updated list of products & species on the FIC Database (<http://ic.fao.org>)

Type of certification: Single

Original certification date:	05-07-2022
Date of certification expiration:	05-07-2025
Expiration date:	04-07-2025
ISO Certificate code:	09-000-11
ISO Certificate No. / Version:	00000000
Contract No:	13077454
Issue date:	05-07-2022

Signed on behalf of Bureau: Certification:

The validity of this certificate shall be contingent upon the recipient's compliance with the conditions specified that a particular service is provided by the certificate holder. The certificate holder is not responsible for the recipient's compliance with the conditions specified that a particular service is provided by the certificate holder. The certificate holder is not responsible for the recipient's compliance with the conditions specified that a particular service is provided by the certificate holder. The certificate holder is not responsible for the recipient's compliance with the conditions specified that a particular service is provided by the certificate holder.

Dr. Michael Joseph Green, Department of Psychology, University of North Carolina, 1100 South University Avenue, Chapel Hill, NC 27515, USA. E-mail: mjgreen@unc.edu

4 for all the products or services that we have included in this issue of the certificate, we have obtained the necessary license from the relevant authorities. The certificate cannot be used in any way to promote or advertise any product or service, or to make any claim or statement about the quality or performance of any product or service. All certificates are in English and are valid for 12 months.