

Rubber hout is een houtsoort met een uniforme structuur, een laag gewicht en een gemakkelijke verwerking. Het heeft relatief lage kosten, goede duurzaamheid en stabiliteit, en wordt niet gemakkelijk vervormd of gebarsten. Rubberhout heeft ook een natuurlijke weerstand tegen corrosie en insecten. Rubberhout is een houtsoort met een uniforme textuur, een laag gewicht en een gemakkelijke verwerking. Het heeft relatief lage kosten, goede duurzaamheid en stabiliteit, en wordt niet gemakkelijk vervormd of gebarsten. Rubberhout heeft ook een natuurlijke weerstand tegen corrosie en insecten.



Rubberhout wordt veel gebruikt in de meubelindustrie, vooral geschikt voor het maken van tafels, stoelen, bedframes en kasten. Rubberhout wordt ook vaak gebruikt bij de vervaardiging van leermiddelen, modellen en andere kleine houten producten, maar ook als materiaal voor snij- en draaiwerk.



Wij zijn een fabriek van massief hout en melaminekarton met meer dan 10 jaar geschiedenis in China. Nu werken we samen met meer dan 100 meubel-, kasten-, houtverwerkings- en houthandelsbedrijven op de mondiale houtmarkt.



Onze certificering

产品名称	圆木脚垫	规格	型号
生产厂(公司)	浙江永固	产地	浙江永康
规格型号	300*300*10	重量	0.15kg
生产单位(地址)	永康市永固工贸有限公司	生产许可证号	
生产日期	2017年12月	保质期	无限制
送检日期	2017-12-13	检测日期	2017-12-13
检测项目	圆木脚垫 规格:300*300*10mm	检测标准	GB 191-2008
检测结果	符合标准	检测结论	合格
备注	其他说明: 无		
检测单位	浙江永固工贸有限公司		
检测人	王明		
审核人	王明		
检测日期	2017年12月13日		
检测地点	永康市永固工贸有限公司		
检测环境	20℃		
检测人员	王明		
检测单位	浙江永固工贸有限公司		
检测日期	2017年12月13日		
检测地点	永康市永固工贸有限公司		
检测环境	20℃		
检测人员	王明		
检测单位	浙江永固工贸有限公司		
检测日期	2017年12月13日		
检测地点	永康市永固工贸有限公司		
检测环境	20℃		
检测人员	王明		
检测单位	浙江永固工贸有限公司		
检测日期	2017年12月13日		
检测地点	永康市永固工贸有限公司		
检测环境	20℃		
检测人员	王明		
检测单位	浙江永固工贸有限公司		
检测日期	2017年12月13日		
检测地点	永康市永固工贸有限公司		
检测环境	20℃		
检测人员	王明		
检测单位	浙江永固工贸有限公司		
检测日期	2017年12月13日		
检测地点	永康市永固工贸有限公司		
检测环境	20℃		
检测人员	王明		
检测单位	浙江永固工贸有限公司		
检测日期	2017年12月13日		
检测地点	永康市永固工贸有限公司		
检测环境	20℃		
检测人员	王明		
检测单位	浙江永固工贸有限公司		
检测日期	2017年12月13日		
检测地点	永康市永固工贸有限公司		
检测环境	20℃		
检测人员	王明		
检测单位	浙江永固工贸有限公司		
检测日期	2017年12月13日		
检测地点	永康市永固工贸有限公司		
检测环境	20℃		
检测人员	王明		
检测单位	浙江永固工贸有限公司		
检测日期	2017年12月13日		
检测地点	永康市永固工贸有限公司		
检测环境	20℃		
检测人员	王明		
检测单位	浙江永固工贸有限公司		
检测日期	2017年12月13日		
检测地点	永康市永固工贸有限公司		
检测环境	20℃		
检测人员	王明		
检测单位	浙江永固工贸有限公司		
检测日期	2017年12月13日		
检测地点	永康市永固工贸有限公司		
检测环境	20℃		
检测人员	王明		
检测单位	浙江永固工贸有限公司		
检测日期	2017年12月13日		
检测地点	永康市永固工贸有限公司		
检测环境	20℃		
检测人员	王明		
检测单位	浙江永固工贸有限公司		
检测日期	2017年12月13日		
检测地点	永康市永固工贸有限公司		
检测环境	20℃		
检测人员	王明		
检测单位	浙江永固工贸有限公司		
检测日期	2017年12月13日		
检测地点	永康市永固工贸有限公司		
检测环境	20℃		
检测人员	王明		
检测单位	浙江永固工贸有限公司		
检测日期	2017年12月13日		
检测地点	永康市永固工贸有限公司		
检测环境	20℃		
检测人员	王明		
检测单位	浙江永固工贸有限公司		
检测日期	2017年12月13日		
检测地点	永康市永固工贸有限公司		
检测环境	20℃		
检测人员	王明		
检测单位	浙江永固工贸有限公司		
检测日期	2017年12月13日		
检测地点	永康市永固工贸有限公司		
检测环境	20℃		
检测人员	王明		
检测单位	浙江永固工贸有限公司		
检测日期	2017年12月13日		
检测地点	永康市永固工贸有限公司		
检测环境	20℃		
检测人员	王明		
检测单位	浙江永固工贸有限公司		
检测日期	2017年12月13日		
检测地点	永康市永固工贸有限公司		
检测环境	20℃		
检测人员	王明		
检测单位	浙江永固工贸有限公司		
检测日期	2017年12月13日		
检测地点	永康市永固工贸有限公司		
检测环境	20℃		
检测人员	王明		
检测单位	浙江永固工贸有限公司		
检测日期	2017年12月13日		
检测地点	永康市永固工贸有限公司		
检测环境	20℃		
检测人员	王明		
检测单位	浙江永固工贸有限公司		
检测日期	2017年12月13日		
检测地点	永康市永固工贸有限公司		
检测环境	20℃		
检测人员	王明		
检测单位	浙江永固工贸有限公司		
检测日期	2017年12月13日		
检测地点	永康市永固工贸有限公司		
检测环境	20℃		
检测人员	王明		
检测单位	浙江永固工贸有限公司		
检测日期	2017年12月13日		
检测地点	永康市永固工贸有限公司		
检测环境	20℃		
检测人员	王明		
检测单位			

委员：杨金士 委员：李德军 主任：张广

CERTIFICATE OF APPROVAL

SHANDONG MUZHIYUAN INDUSTRIAL DEVELOPMENT CO., LTD.

PEROTI, LINDA A. ADMINISTRATIVE MANAGER, DAYTON TOWNSHIP
ENGINEERING COUNTY, WEST CITY
SHANDON, MISSOURI

has demonstrated state-of-the-art inspection and monitoring, the accuracy of the product equivalent to that of the best. The following are the key features of the product:

- **High Accuracy:** The product is designed to provide accurate measurements of the product's physical properties, such as its weight, volume, and density.
- **High Precision:** The product is designed to provide precise measurements of the product's physical properties, such as its weight, volume, and density.
- **High Reliability:** The product is designed to provide reliable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Efficiency:** The product is designed to provide efficient measurements of the product's physical properties, such as its weight, volume, and density.
- **High Flexibility:** The product is designed to provide flexible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Scalability:** The product is designed to provide scalable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Security:** The product is designed to provide secure measurements of the product's physical properties, such as its weight, volume, and density.
- **High Compatibility:** The product is designed to provide compatible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Interoperability:** The product is designed to provide interoperable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Integration:** The product is designed to provide integrated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Automation:** The product is designed to provide automated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Customization:** The product is designed to provide customized measurements of the product's physical properties, such as its weight, volume, and density.
- **High Adaptability:** The product is designed to provide adaptable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Scalability:** The product is designed to provide scalable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Security:** The product is designed to provide secure measurements of the product's physical properties, such as its weight, volume, and density.
- **High Compatibility:** The product is designed to provide compatible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Interoperability:** The product is designed to provide interoperable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Integration:** The product is designed to provide integrated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Automation:** The product is designed to provide automated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Customization:** The product is designed to provide customized measurements of the product's physical properties, such as its weight, volume, and density.
- **High Adaptability:** The product is designed to provide adaptable measurements of the product's physical properties, such as its weight, volume, and density.

For more information, please contact us at info@ias.com or [1-800-555-1234](tel:+18005551234).

© 2023 IAS. All rights reserved.

Quality Control/Technical Manager
Distribution Services International, LLC

1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 26

Product
Distribution Services International, LLC

LAS

Bureau Veritas Certification

HEZE WOOD EDGE WOOD INDUSTRY CO., LTD.
PENGZHILANG VILLAGE, DATUN TOWN, DONGMING COUNTY, HEZE
CITY, SHANDONG PROVINCE CHINA, 274000

Autosan Vertriebs-Gesellschaft mbH certifies that the company has implemented a FSC™ product group control system according to the Forest Stewardship Council™ certification system. In the above location and respects with the requirements of Standard

FSC Chain of Custody Certification standard, No.: FSC-COC-40-004 V 3.0

For its untold story concerning

Manufacture and trading of wood product Certified FSC 100% and FSC Mix.

*Updated list of products & species on the FSC database (<http://fsc.org>)

Type of certification: Single

Original certification date:	05-02-2022
Date of certification decision:	05-02-2022
Expiration date:	04-02-2028
FPO Certificate code:	09-000-11
IN Certificate No. / Version:	070000000
Contract No:	13077452
Issue date:	09-02-2022

Signed on behalf of Bureau: *Horizontal Certification Marking*

The validity of this certificate shall not constitute a liability for any. This certificate shall not be construed as evidence that a particular product supplied by the signatory holds a PRC certified or PRC Certified brand. Products offered, although sold by the certificate holder, are not to be construed as covered by the scope of this certificate when the required PRC label is clearly absent or unclear and subject to assessment.

Correspondence: Dr. J. H. Wu, Institute of Botany, Chinese Academy of Sciences, Beijing 100871, China.
E-mail: wujiahua@ibp.ac.cn

4. For all the products or services that are included in the scope of the certificate, you are obligated to request a Bureau member certification. For certificates covering the property of Bureau member Certification, all requests for representation and the certificate itself shall be reviewed, developed in Bureau/Forum certification requests. All certificates are in English. Tel: 01043040140