

Rubberhout is een houtsoort met een uniforme structuur, een laag gewicht en een gemakkelijke verwerking. Het heeft relatief lage kosten, goede duurzaamheid en stabiliteit, en wordt niet gemakkelijk vervormd of gebarsten. Rubberhout heeft ook een natuurlijke weerstand tegen corrosie en insecten. Rubberhout is een houtsoort met een uniforme textuur, een laag gewicht en een gemakkelijke verwerking. Het heeft relatief lage kosten, goede duurzaamheid en stabiliteit, en wordt niet gemakkelijk vervormd of gebarsten. Rubberhout heeft ook een natuurlijke weerstand tegen corrosie en insecten.



Rubberhout wordt veel gebruikt in de meubelindustrie, vooral geschikt voor het maken van tafels, stoelen, bedframes en kasten. Rubberhout wordt ook vaak gebruikt bij de vervaardiging van leermiddelen, modellen en andere kleine houten producten, maar ook als materiaal voor snij- en draaiwerk.



Wij zijn een fabriek van massief hout en melaminekarton met meer dan 10 jaar geschiedenis in China. Nu werken we samen met meer dan 100 meubel-, kasten-, houtverwerkings- en houthandelsbedrijven op de mondiale houtmarkt.



Onze certificering

[illegible]

设计：杨金生 编辑：李德军 主创：张勇

CERTIFICATE OF APPROVAL

SHANDONG MUZHIYUAN INDUSTRIAL DEVELOPMENT CO., LTD.

PEROTI, LINDA A. ADMINISTRATIVE MANAGER, DAYTON TOWNSHIP
ENGINEERING COUNTY, WEST CITY
SHANDON, MISSOURI

has demonstrated state-of-the-art inspection and monitoring, the accuracy of the product equivalent to that of the best. The following are the key features of the product:

- **High Accuracy:** The product is designed to provide accurate measurements of the product's physical properties, such as its weight, volume, and density.
- **High Precision:** The product is designed to provide precise measurements of the product's physical properties, such as its weight, volume, and density.
- **High Reliability:** The product is designed to provide reliable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Efficiency:** The product is designed to provide efficient measurements of the product's physical properties, such as its weight, volume, and density.
- **High Flexibility:** The product is designed to provide flexible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Scalability:** The product is designed to provide scalable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Security:** The product is designed to provide secure measurements of the product's physical properties, such as its weight, volume, and density.
- **High Compatibility:** The product is designed to provide compatible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Interoperability:** The product is designed to provide interoperable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Integration:** The product is designed to provide integrated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Automation:** The product is designed to provide automated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Customization:** The product is designed to provide customized measurements of the product's physical properties, such as its weight, volume, and density.
- **High Adaptability:** The product is designed to provide adaptable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Scalability:** The product is designed to provide scalable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Security:** The product is designed to provide secure measurements of the product's physical properties, such as its weight, volume, and density.
- **High Compatibility:** The product is designed to provide compatible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Interoperability:** The product is designed to provide interoperable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Integration:** The product is designed to provide integrated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Automation:** The product is designed to provide automated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Customization:** The product is designed to provide customized measurements of the product's physical properties, such as its weight, volume, and density.
- **High Adaptability:** The product is designed to provide adaptable measurements of the product's physical properties, such as its weight, volume, and density.

For more information, please contact us at info@laser.com or call us at 1-800-123-4567.

LASER

1-800-123-4567

Quality Control/Technical Manager
Distribution Services International, LLC

1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 26

Product
Distribution Services International, LLC

LAS

Bureau Veritas Certification

HEZE WOOD EDGE WOOD INDUSTRY CO., LTD.
PENGZHUANG VILLAGE, DATUN TOWN, DONGMING COUNTY, HEZE
CITY, SHANDONG PROVINCE CHINA 274000

Russian Vector Certification Meeting SAII certifies that the company has implemented a PSC TM product group control system according to the Power Standards Council TM certification system. In the above location and occupies with the requirements of Standard

FSC Chain of Custody Certification standard, No.: FSC-COC-40-004 V 3.0

For its untold story concerning

Manufacture and trading of wood product Certified FSC 100% and FSC Mix.

*Updated list of products & species on the FIC Database (<http://ic.fao.org>)

Type of certification: Single

Original certification date:	05-07-2022
Date of certification expiration:	05-07-2025
Expiration date:	04-07-2025
ISO Certificate code:	09-000-11
ISO Certificate No. / Version:	00000000
Contract No:	13077454
Issue date:	05-07-2022

Signed on behalf of Bureau: _____ Certification: M.Altre

This validity of this certificate shall be conditioned on the fact that the certificate holder and certificate holder's representative have accepted the terms and conditions of the certificate and the certificate holder's representative has accepted the terms and conditions of the certificate holder's representative. The certificate holder's representative shall be responsible for the validity of this certificate and the certificate holder's representative shall be responsible for the validity of this certificate.

For further information, please contact the following:

© 2004 Blackwell Publishing Ltd, *Journal of Internal Medicine* 255: 105–112