

Mga pisikal na katangian

Lakas at katatagan: Mayroon itong tiyak na lakas at katigasan, unipormeng density, at ang lakas ay maaaring matugunan ang mga kinakailangan ng pangkalahatang konstruksiyon at paggawa ng kasangkapan. Hindi madaling magkaroon ng malubhang pagpapapangit at pag -crack pagkatapos ng paggamot sa pagpapatayo, na may average na kahusayan ng pag -urong at malakas na katatagan.

Thermal pagkakabukod at pagsipsip ng tunog at pagbabawas ng ingay: Magandang mga katangian ng pagkakabukod ng thermal, [\[Shandong Radiata Pine Plywood Supply\]](#) Maaaring epektibong maiwasan ang paglipat ng init, bawasan ang pagkakaiba sa temperatura sa pagitan ng panloob at panlabas. Ang pagsipsip ng tunog at epekto ng pagbabawas ng ingay ay mabuti, maaaring mabawasan ang epekto ng ingay sa buhay, upang lumikha ng isang tahimik at komportableng kapaligiran sa pamumuhay.

Pagganap ng Fireproof: Ang antas ng fireproof ng B1, ay hindi makagawa ng mga nakakalason na fume kung sakaling ang apoy, ay maaaring epektibong maprotektahan ang buhay ng mga tao.



[\[China New Zealand Radiata Pine Wholesale\]](#)

Pagganap ng pagproseso

Ang mababang kahirapan sa pagproseso, pagputol, pagbabarena, pagpaplano, pagpapako at iba pang mga operasyon ay maaaring isagawa nang maayos, maaaring makakuha ng mas mahusay na kawastuhan sa pagproseso at kalidad ng ibabaw, ay madaling gawin sa iba't ibang mga kumplikadong hugis. Ang kahoy ay may mahusay na kapangyarihan na may hawak na kuko at malakas na pagkamatagusin, na ginagawang napakadali na tratuhin ng anticorrosion, pagpapatayo, paggamot at pangkulay.

Mga katangian ng friendly na kapaligiran

Ang Radiata pine sa proseso ng paglago ay hindi napapailalim sa mga pestisidyo ng kemikal, pataba, polusyon, ang paggamit ng mataas na kalidad na radiata pine timber bilang mga hilaw na materyales na naproseso mula sa panel ng proteksyon sa kapaligiran at walang polusyon, ay isang uri ng mga berdeng materyales sa gusali.

Malawak na hanay ng mga gamit

Patlang ng konstruksyon: Karaniwang ginagamit sa pagbuo ng istrukturang balangkas, mga trusses ng bubong, dingding ng dingding, base ng sahig, atbp. Ang mabuting lakas at katatagan nito ay maaaring matiyak ang kaligtasan ng istruktura ng gusali.

Paggawa ng Muwebles: Ito ay angkop para sa paggawa ng iba't ibang uri ng kasangkapan, tulad ng mga talahanayan, upuan, kama, mga kabinet, atbp. Maaari itong ipakita ang iba't ibang mga estilo sa pamamagitan ng iba't ibang mga proseso ng paggamot sa ibabaw, na maaaring masiyahan ang mga aesthetic na hinihingi ng iba't ibang mga mamimili.

Dekorasyon: Maaari itong magamit para sa mga panloob na pandekorasyon na linya, mga takip ng pintuan at window, mga linya ng skirting, atbp. Maaari rin itong gawin sa mga pandekorasyon na panel upang lumikha ng isang natural at mainit na panloob na kapaligiran.

Industriya ng packaging: Dahil sa medyo mababang gastos, madaling pagproseso at tiyak na lakas, madalas itong ginagamit upang gawin ang lahat ng mga uri ng mga kahon ng packaging, tray at iba pang mga materyales at mga materyales sa packaging ng transportasyon.



[Tsina Radiata Pine Slats Pabrika](#)

Mga marka

Pang-industriya na Baitang: Ang nilalaman ng kahalumigmigan na 8-12%, sawn magaspang, makinis

at patag sa lahat ng panig, walang mga depekto, ay maaaring magkaroon ng maliit na pagkadilim sa likod. Pangunahing ginagamit para sa mga application na hindi nangangailangan ng mataas na pamantayan sa hitsura, tulad ng mga kahon ng packaging o mga sangkap na hindi kritikal na istruktura.

GRADE ng Muwebles A: Tinitiyak ang isang 60 porsyento na ani, gupitin ang haba ng 600mm o higit pa, na nagpapahintulot sa mga buhol na hanggang sa 38mm ang laki. Ang mga average na nilalaman ng kahalumigmigan ay 9 porsyento, na may maximum na 12 porsyento na pinahihintulutan, at angkop para sa mga kasangkapan sa kasangkapan at solidong mga sangkap ng kahoy.

Grade grade b: Tinitiyak ang isang 60% na ani, gupitin ang haba ng 150mm o higit pa, na nagpapahintulot sa mga buhol na hanggang sa 38mm ang laki. Ang mga average na nilalaman ng kahalumigmigan ay 9% na may maximum na 12% na pinahihintulutan, na angkop para sa paggawa ng mga kasangkapan sa kasangkapan, solidong kahoy at mga panel na sumali sa daliri.

Pamantayang Baitang: Payagan ang mga buhol at cores, mahusay na katatagan at paglaban sa compression, nilalaman ng kahalumigmigan na 9% sa average at 12% maximum, na angkop para sa paggawa ng mga kahon, palyete at hindi nakikita na mga bahagi ng mga kasangkapan sa kasangkapan.



Ang aming sertipikasyon

[illegible]

委员：杨金士 委员：李德军 主任：张广

CERTIFICATE OF APPROVAL

SHANDONG MUZHIYUAN INDUSTRIAL DEVELOPMENT CO., LTD.

PEROTI, LINDA A. ADMINISTRATIVE MANAGER, DAYTON TOWNSHIP
ENGINEERING COUNTY, WEST CITY
SHANDON, MISSOURI

has demonstrated state-of-the-art inspection and monitoring, the accuracy of the product equivalent to that of the best. The following are the key features of the product:

- **High Accuracy:** The product is designed to provide accurate measurements of the product's physical properties, such as its weight, volume, and density.
- **High Precision:** The product is designed to provide precise measurements of the product's physical properties, such as its weight, volume, and density.
- **High Reliability:** The product is designed to provide reliable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Efficiency:** The product is designed to provide efficient measurements of the product's physical properties, such as its weight, volume, and density.
- **High Flexibility:** The product is designed to provide flexible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Scalability:** The product is designed to provide scalable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Security:** The product is designed to provide secure measurements of the product's physical properties, such as its weight, volume, and density.
- **High Compatibility:** The product is designed to provide compatible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Interoperability:** The product is designed to provide interoperable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Integration:** The product is designed to provide integrated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Automation:** The product is designed to provide automated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Customization:** The product is designed to provide customized measurements of the product's physical properties, such as its weight, volume, and density.
- **High Adaptability:** The product is designed to provide adaptable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Scalability:** The product is designed to provide scalable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Security:** The product is designed to provide secure measurements of the product's physical properties, such as its weight, volume, and density.
- **High Compatibility:** The product is designed to provide compatible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Interoperability:** The product is designed to provide interoperable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Integration:** The product is designed to provide integrated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Automation:** The product is designed to provide automated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Customization:** The product is designed to provide customized measurements of the product's physical properties, such as its weight, volume, and density.
- **High Adaptability:** The product is designed to provide adaptable measurements of the product's physical properties, such as its weight, volume, and density.

For more information, please contact us at info@ias.com or [1-800-555-1234](tel:+18005551234).

© 2023 IAS. All rights reserved.

Quality Control/Technical Manager
Distribution Services International, LLC

1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 26

Product
Distribution Services International, LLC

LAS

Bureau Veritas Certification

HEZE WOOD EDGE WOOD INDUSTRY CO., LTD.
PENGZHILANG VILLAGE, DATUN TOWN, DONGMING COUNTY, HEZE
CITY, SHANDONG PROVINCE CHINA, 274000

Autosan Vertriebs-Gesellschaft mbH certifies that the company has implemented a FSC™ product group control system according to the Forest Stewardship Council™ certification system. In the above location and respects with the requirements of Standard

FSC Chain of Custody Certification standard, No.: FSC-COC-40-004 V 3.0

For its untold story concerning

Manufacture and trading of wood product Certified FSC 100% and FSC Mix.

*Updated list of products & species on the FSC database (<http://fsc.org>)

Type of certification: Single

Original certification date:	05-02-2022
Date of certification decision:	05-02-2022
Expiration date:	04-02-2028
FPO Certificate code:	09-000-11
IN Certificate No. / Version:	070000000
Contract No:	13077452
Issue date:	09-02-2022

Signed on behalf of Bureau: *Horizontal Certification Marking*

The validity of this certificate shall not constitute a liability for any. This certificate shall not be construed as evidence that a particular product supplied by the signatory holds a PRC certified or PRC Certified brand. Products offered, although sold by the certificate holder, are not to be construed as covered by the scope of this certificate when the required PRC label is clearly absent or unclear and subject to assessment.

[illegible]

4. For all the products or services that are included in the scope of the certificate, you are obligated to request a Bureau member certification. For certificates covering the property of Bureau member Certification, all requests for representation and the certificate itself shall be reviewed, developed in Bureau/Forum certification requests. All certificates are in English. Tel: 01043040140