

Twarda tekstura: Cyprys Hinoki ([Deska z drewna cyprysowego japońskiego](#)) ma twardą i drobnoziarnistą konsystencję. Jego gęstość po wysuszeniu na powietrzu wynosi zwykle od 0,5 do 0,66 g/cm³, co zapewnia mu doskonałą odporność na ścieranie i odporność na ściskanie. Wykonane z niego meble czy elementy budynków mogą służyć przez długi czas.

Piękne Ziarno: Drewno ma proste i gładkie słoje, z delikatnymi wzorami przypominającymi góry, wodę lub chmury. Wzory te są naturalne i gładkie oraz mają duże walory dekoracyjne. Niezależnie od tego, czy jest prezentowany w oryginalnym kolorze, czy malowany, może nadać produktom niepowtarzalną estetykę.

Charakterystyka zapachu: Cyprys Hinoki wydziela świeży, delikatny i długotrwały naturalny aromat. Aromat ten nie tylko koi nerwy, pomaga zrelaksować ciało i umysł oraz złagodzić stres, ale także działa odstraszająco na owady. Może zapobiegać uszkodzeniom przez owady i chronić wewnętrzną strukturę drewna.

Trwałość: Zawiera naturalne składniki zapobiegające próchnicy, które skutecznie chronią przed gniciem i szkodnikami owadziemi. Nawet w stosunkowo wilgotnym środowisku może zachować integralność strukturalną przez długi czas i ma długą żywotność. Wiele starożytnych budynków zbudowanych z cyprysu hinoki zostało dobrze zachowanych przez setki lat.



([Chiny dostarczają deski z drewna cyprysowego](#))

Arcydziela wyposażenia domu

Cyprys Hinoki to idealny materiał do tworzenia wysokiej klasy mebli. Od eleganckich stołów i krzeseł, przez wykwintne szafy po wygodne łóżka, każdy mebel z cyprysu hinoki napelni Twoją domową przestrzeń naturalnym ciepłem i eleganckim stylem. Jego niepowtarzalny aromat i piękna konsystencja sprawiają, że poczujesz się jak w lesie, ciesząc się spokojem i przytulnością.

Dekoracja architektoniczna

W dekoracji architektonicznej cyprys hinoki sprawdza się również znakomicie. Stosowany do układania sufitów, paneli ściennych i podłóg w pomieszczeniach zamkniętych może stworzyć ciepłe,

wygodne i teksturowane środowisko życia. Zwłaszcza w dekoracjach w stylu japońskim czy chińskim, które nawiązują do naturalnego stylu, zastosowanie cyprysu hinoki może doskonale zinterpretować estetyczną koncepcję integracji tradycji i nowoczesności.

Rzemiosło artystyczne

Delikatna konsystencja cyprysu hinoki sprawia, że jest to doskonały wybór do rzeźbienia rękodzieła. Rzeźbiarze mogą w pełni wykazać się swoimi umiejętnościami na cyprysie hinoki, tworząc w żywym drewnie ozdoby rzeźbiarskie, delikatne posągi Buddy i inne wyroby rękodzielnicze. Dzieła te mają nie tylko wartość artystyczną, ale są także nośnikami dziedziczenia kultury i emocji.

Łazienkowe rozkosze

Ze względu na dobre właściwości antykorozyjne i antybakteryjne, cyprys hinoki szczególnie nadaje się do wytwarzania produktów łazienkowych. Wanna cyprysowa hinoki pozwala w pełni cieszyć się jej naturalnym aromatem podczas kąpieli, relaksując ciało i umysł. Produkty takie jak deski sedesowe i wieszaki na ręczniki hinoki cyprys są nie tylko praktyczne, ale także dodają łazienkowej przestrzeni naturalnego piękna.

Doskonale zdajemy sobie sprawę z drogocенności cyprysu hinoki, dlatego na każdym etapie ściśle kontrolujemy jego jakość. Począwszy od skrupulatnej selekcji surowców, poprzez ciągłe udoskonalanie technik produkcyjnych, a następnie rygorystyczną kontrolę gotowych produktów, naszym celem jest dostarczanie najwyższej jakości produktów z cyprysu hinoki. Każdy produkt jest ucieleśnieniem naszego nieustannego dążenia do jakości i naszych pięknych oczekiwań co do jakości Twojego życia. Wybór naszych produktów cyprysowych hinoki oznacza wybór wysokiej jakości sposobu życia w harmonii z naturą.



([Sprzedaż hurtowa fabryki drewna cyprysowego Shandong](#))

Nasza certyfikacja

[illegible]

委员：杨金士 委员：李德军 主任：张广

CERTIFICATE OF APPROVAL

SHANDONG MUZHIYUAN INDUSTRIAL DEVELOPMENT CO., LTD.

PEROTI, LINDA A. ADMINISTRATIVE MANAGER, DAYTON TOWNSHIP
ENGINEERING COUNTY, WEST CITY
SHANDON, MISSOURI

has demonstrated state-of-the-art inspection and monitoring, the accuracy of the product equivalent to that of the best. The following are the key features of the product:

- **High Accuracy:** The product is designed to provide accurate measurements of the product's physical properties, such as its weight, volume, and density.
- **High Precision:** The product is designed to provide precise measurements of the product's physical properties, such as its weight, volume, and density.
- **High Reliability:** The product is designed to provide reliable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Efficiency:** The product is designed to provide efficient measurements of the product's physical properties, such as its weight, volume, and density.
- **High Flexibility:** The product is designed to provide flexible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Scalability:** The product is designed to provide scalable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Security:** The product is designed to provide secure measurements of the product's physical properties, such as its weight, volume, and density.
- **High Compatibility:** The product is designed to provide compatible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Interoperability:** The product is designed to provide interoperable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Integration:** The product is designed to provide integrated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Automation:** The product is designed to provide automated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Customization:** The product is designed to provide customized measurements of the product's physical properties, such as its weight, volume, and density.
- **High Adaptability:** The product is designed to provide adaptable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Scalability:** The product is designed to provide scalable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Security:** The product is designed to provide secure measurements of the product's physical properties, such as its weight, volume, and density.
- **High Compatibility:** The product is designed to provide compatible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Interoperability:** The product is designed to provide interoperable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Integration:** The product is designed to provide integrated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Automation:** The product is designed to provide automated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Customization:** The product is designed to provide customized measurements of the product's physical properties, such as its weight, volume, and density.
- **High Adaptability:** The product is designed to provide adaptable measurements of the product's physical properties, such as its weight, volume, and density.

For more information, please contact us at info@ias.com or [1-800-555-1234](tel:+18005551234).

© 2023 IAS. All rights reserved.

Quality Control/Technical Manager
Distribution Services International, LLC

1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 26

Product
Distribution Services International, LLC

LAS

Bureau Veritas Certification

HEZE WOOD EDGE WOOD INDUSTRY CO., LTD.
PENGZHILANG VILLAGE, DATUN TOWN, DONGMING COUNTY, HEZE
CITY, SHANDONG PROVINCE CHINA, 274000

Autosan Vertriebs-Gesellschaft mbH certifies that the company has implemented a FSC™ product group control system according to the Forest Stewardship Council™ certification system. In the above location and respects with the requirements of Standard

FSC Chain of Custody Certification standard, No.: FSC-COC-40-004 V 3.0

For its untold story concerning

Manufacture and trading of wood product Certified FSC 100% and FSC Mix.

*Updated list of products & species on the FSC database (<http://fsc.org>)

Type of certification: Single

Original certification date:	05-02-2022
Date of certification decision:	05-02-2022
Expiration date:	04-02-2028
FPO Certificate code:	09-000-11
IN Certificate No. / Version:	070000000
Contract No:	13077452
Issue date:	09-07-2022

Signed on behalf of Bureau: *Horizontal Certification Marking*

The validity of this certificate shall not constitute a liability for any. This certificate shall not be construed as evidence that a particular product supplied by the signatory holds a PRC certified or PRC Certified brand. Products offered, although sold by the certificate holder, are not to be construed as covered by the scope of this certificate when the required PRC label is clearly absent or unclear and subject to assessment.

Correspondence: Dr. J. H. Wu, Department of Cell Biology, University of California, San Diego, La Jolla, CA 92037, USA.
E-mail: jhwu@ucsd.edu

4. For all the products or services that are included in the scope of the certificate, you are obligated to request a Bureau member certification. For certificates covering the property of Bureau member Certification, all requests for representation and the certificate itself shall be reviewed, developed in Bureau/Forum certification requests. All certificates are in English. Tel: 01043040140