

Nasza tablica OSB (zorientowana na płytę Strand) to wysokowydajna płyta wykonana za pomocą zaawansowanej technologii i wysokiej jakości surowców. Dzięki swojej unikalnej strukturze i wyjątkowej wydajności jest szeroko stosowany w wielu dziedzinach, takich jak budownictwo i produkcja mebli, zapewniając niezawodne rozwiązania materialne dla różnych projektów.

Podstawowe funkcje

Wysoka wytrzymałość i sztywność: Panele OSB są wykonane ze starannie przetworzonych arkuszy planistów, które są zorientowane w określonym kierunku, a następnie ściśle związane z procesem prasowania na gorąco. Ta unikalna zorientowana struktura zapewnia płytom wyjątkowo wysoką wytrzymałość i sztywność zarówno w kierunku długości, jak i szerokości, umożliwiając im wytrzymanie dużych obciążeń i ciśnień bez łatwej do deformacji lub złamania, co czyni je idealnymi materiałami noszącymi obciążenie struktur budowlanych.

Znakomita stabilność: Materiał jest jednolity, a struktura wewnętrzna jest gęsta, skutecznie przewyższając wady naturalnego drewna, które jest łatwe do odkształcenia i wypaczenia. Niezależnie od tego, czy w środowiskach o dużych zmianach temperatury czy wysokiej wilgotności, nasze panele OSB [Dostawcy zarządu China OSB](#) utrzymują dobrą stabilność wymiarową, zapewniając jakość i żywotność gotowego produktu.

Doskonała odporność na wilgoć: Podczas procesu produkcyjnego stosujemy wysokiej jakości wodoodporne kleje i traktujemy deski specjalnym leczeniem opornym na wilgoć. To sprawia, że deski OSB mają doskonałą odporność na wilgoć, niską szybkość ekspansji po napotkaniu wody i mogą do pewnego stopnia odpierać erozję wody, która może być szeroko stosowana w kuchni, łazienkach i innych obszarach o wysokiej wilgotności.

Ochrona środowiska i zdrowie: Ściśle przestrzegaj standardów ochrony środowiska, stosowanie przyjaznych dla środowiska klejów, uwalnianie wolnego formaldehydu jest bardzo niskie, znacznie poniżej standardu krajowego. Jesteśmy zaangażowani w dostarczanie klientom zielonych, zdrowych i bezpiecznych produktów, aby nie martwić się w procesie użytkowania, aby stworzyć wygodne i zdrowe środowisko życia dla Ciebie i Twojej rodziny.

Dobra wydajność przetwarzania: Łatwe do przeprowadzania pici, gwoździ, wiercenia, wiercenia, mielenia i innych operacji przetwarzania, zgodnie z różnymi wymaganiami projektowymi, łatwo wykonane w różnych kształtach i rozmiarach produktów. Powierzchnia jest płaska i gładka, odpowiednia do forniru, malarstwa i innych dekoracyjnych zabiegów, które mogą spełniać zróżnicowane style dekoracji i wymagania projektowe, zapewniając ogromną wygodę do produkcji mebli i dekoracji wnętrz.



[\[przyjazne dla środowiska tablice OSB\]](#)

Scenariusz aplikacji

Budowa: Jako panele dachowe, podłogowe i ściennie w konstrukcjach budowlanych, zapewnia niezawodne wsparcie konstrukcyjne. Jego wysoka wytrzymałość i stabilność mogą zapewnić bezpieczeństwo i trwałość budynku, podczas gdy jego dobra wydajność odporna na wilgoć jest również odpowiednia dla mokrych piwnic i ścian zewnętrznych.

Produkcja mebli: Jest to materiał wysokiej jakości do wytwarzania różnych rodzajów mebli, takich jak garderoby, szafki, półki, stoły i krzesła. Można go spersonalizować zgodnie z różnymi wymaganiami projektowymi w celu tworzenia modnych i praktycznych produktów meblowych. Jego wyniki środowiskowe sprawiają, że meble są również zdrowsze i przyjazne dla środowiska, zgodnie z dążeniem do wysokiej jakości współczesnych konsumentów.

Dekoracja wnętrz: Używany do sufitu wewnętrznego, partycji, dekoracji ściany itp. Można stosować z różnymi materiałami dekoracyjnymi do tworzenia różnych stylów dekoracji. Po poddaniu się powierzchni może prezentować piękne tekstury i kolory, zwiększając ogólną estetykę przestrzeni wewnętrznej.

Przemysł opakowań: Ze względu na wysoką wytrzymałość i lekką wagę płytki OSB są również powszechnie stosowane do wytwarzania materiałów opakowaniowych, takich jak pudełka i tace, które mogą skutecznie chronić bezpieczeństwo produktów podczas transportu i przechowywania.



[\[Hurtowa arkusz OSB z Chin\]](#)

Zapewnienie jakości

Mamy zaawansowany sprzęt produkcyjny i surowy system kontroli jakości, od zakupu surowców po gotowe produkty, każdy link jest ściśle sprawdzany i testowany. Zapewniamy, że każdy kawałek tablicy OSB spełnia wysokiej jakości standard, zapewniając klientom stabilne i niezawodne produkty.

Wybór naszych tablic OSB wybiera wysokiej jakości, wysokiej wydajności i opłacalnych produktów. Jeśli jesteś zainteresowany naszymi produktami lub masz pytania, skontaktuj się z nami, chętnie Ci służymy!



Nasza certyfikacja

[illegible]

委员：杨金士 委员：李德军 主任：张广

CERTIFICATE OF APPROVAL

SHANDONG MUZHIYUAN INDUSTRIAL DEVELOPMENT CO., LTD.

PEROTI, LINDA A. ADMINISTRATIVE MANAGER, DAYTON TOWNSHIP
ENGINEERING COUNTY, WEST CITY
SHANDON, MISSOURI

has demonstrated state-of-the-art inspection and monitoring, the accuracy of the product equivalent to that of the best. The following are the key features of the product:

- **High Accuracy:** The product is designed to provide accurate measurements of the product's physical properties, such as its weight, volume, and density.
- **High Precision:** The product is designed to provide precise measurements of the product's physical properties, such as its weight, volume, and density.
- **High Reliability:** The product is designed to provide reliable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Efficiency:** The product is designed to provide efficient measurements of the product's physical properties, such as its weight, volume, and density.
- **High Flexibility:** The product is designed to provide flexible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Scalability:** The product is designed to provide scalable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Security:** The product is designed to provide secure measurements of the product's physical properties, such as its weight, volume, and density.
- **High Compatibility:** The product is designed to provide compatible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Interoperability:** The product is designed to provide interoperable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Integration:** The product is designed to provide integrated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Automation:** The product is designed to provide automated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Customization:** The product is designed to provide customized measurements of the product's physical properties, such as its weight, volume, and density.
- **High Adaptability:** The product is designed to provide adaptable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Scalability:** The product is designed to provide scalable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Security:** The product is designed to provide secure measurements of the product's physical properties, such as its weight, volume, and density.
- **High Compatibility:** The product is designed to provide compatible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Interoperability:** The product is designed to provide interoperable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Integration:** The product is designed to provide integrated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Automation:** The product is designed to provide automated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Customization:** The product is designed to provide customized measurements of the product's physical properties, such as its weight, volume, and density.
- **High Adaptability:** The product is designed to provide adaptable measurements of the product's physical properties, such as its weight, volume, and density.

For more information, please contact us at info@ias.com or [1-800-555-1234](tel:+18005551234).

© 2023 IAS. All rights reserved.

Quality Control/Technical Manager
Distribution Services International, LLC

1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 26

Product
Distribution Services International, LLC

LAS

Bureau Veritas Certification

HEZE WOOD EDGE WOOD INDUSTRY CO., LTD.
PENGZHUANG VILLAGE, DATUN TOWN, DONGMING COUNTY, HEZE
CITY, SHANDONG PROVINCE CHINA 274000

Russian Vector Certification Meeting SAII certifies that the company has implemented a PSC TM product group control system according to the Power Standards Council TM certification system. In the above location and occupies with the requirements of Standard

FSC Chain of Custody Certification standard, No.: FSC-COC-40-004 V 3.0

For its untold story concerning

Manufacture and trading of wood product Certified FSC 100% and FSC Mix.

*Updated list of products & species on the FSC database (<http://fsc.org>)

Type of certification: Single

Original certification date:	05-07-2022
Date of certification expiration:	05-07-2025
Expiration date:	04-07-2025
ISO Certificate code:	09-000-11
ISO Certificate No. / Version:	00000000
Contract No:	13077454
Issue date:	05-07-2022

Signed on behalf of Bureau: _____ Certification: M.Altre

This validity of this certificate shall be conditioned on the fact that the certificate holder and certificate holder's representative have accepted the terms and conditions of the certificate and the certificate holder's representative has accepted the terms and conditions of the certificate holder's representative. The certificate holder's representative shall be responsible for the validity of this certificate and the certificate holder's representative shall be responsible for the validity of this certificate.

For further information, please contact the following:

© 2004 Blackwell Publishing Ltd, *Journal of Internal Medicine* 255: 105–112