Product Characteristics

Excellent material: Poplar logs with appropriate growth cycle are selected, with clear grain and uniform texture, which ensures the strength and stability of the boards.

High environmental protection standard: the use of chemicals is strictly controlled during processing, which is in line with international environmental standards and protects the health of you and your family.

Good processing performance: easy to cut, drill, carve and other processing operations, to meet your needs for a variety of creative design, whether it is to make furniture<u>Carbonized poplar</u> <u>furniture board</u>, decorative items or architectural components with ease.

Variety of sizes: provide a variety of standard sizes for your choice, but also support customized sizes to meet the individual requirements of different projects.

Rich surface treatment: we can provide white primer and other surface treatment, and we can also customize the color according to your needs, to meet different aesthetic and practical application requirements.

Good protection performance: it has certain waterproof, anti-scratch and anti-insect performance, which prolongs the service life of the product and reduces the maintenance cost.



[]embossed carbonized wood panel[]

Product Advantages

Light as a feather, labor-saving handling: density of only 0.42g/cm³, 30% lighter than oak, more labor-saving handling and cutting.

Straight texture, value online: natural light cream color + soft wood grain, easily adaptable to

Scandinavian style, log style, industrial style.

Easy to process, novice friendly: softwood characteristics, manual/mechanical processing without pressure, smooth cutting edges without roughness.

Eco-friendly certification, more peace of mind: <u>FSC sustainable forestry certification</u> is optional, reducing the burden on the earth and adding to the quality



Exclusive advantages

Zero formaldehyde commitment: the use of environmentally friendly adhesives, through the SGS test, mother and baby families can be assured of use.

Ultra-stable drying: water content is strictly controlled at 8%-12%, anti-cracking and deformation, common to both north and south regions.

One-stop customization: laser engraving, shaped cutting, batch dyeing - name the demand, we'll make it happen!



