Product Overview

Carbonized poplar Supply of heat - treated wooden boards. is a kind of modified wood after high-temperature carbonization treatment, using high-quality poplar as raw material, and under high-temperature environment for pyrolysis treatment, so that the physical and chemical properties of the wood change, thus obtaining more excellent performance.

Application

Due to its excellent performance, Poplar Carbide is widely used in the following areas:

Interior decoration: flooring, wall panels, ceiling, furniture, stairs, doors and windows, etc.

Outdoor landscape: floor, fence, flower box, pavilion, wooden house, water-friendly platform, etc.

Other fields: handicrafts, musical instruments, packaging materials, etc.

Product Specification

The specifications of Carbonized Poplar can be customized according to customers' requirements, common specifications include:

Thickness: 15mm, 20mm, 25mm, 30mm, etc.

Width: 90mm, 120mm, 140mm, 160mm, etc.

Length: 900mm, 1200mm, 1500mm, 1800mm etc.







(Chinese carbonized poplar solid wood board)

Characteristics

Environmentally friendly and healthy: Carbonized by physical methods, without adding any

chemicals, non-toxic, harmless, safe and environmentally friendly, in line with international environmental standards.

Anti-corrosion and anti-insects: The high temperature environment effectively kills the fungi and insect eggs in the wood, destroying their living environment, giving the wood excellent anti-corrosion and anti-insect properties, and prolonging its service life.

Stability and Durability: The carbonization process reduces the moisture absorption of the wood, improves dimensional stability, and makes it less susceptible to deformation and cracking, making it suitable for a wide range of climatic conditions.

Natural texture: <u>Carbonized wood</u> has a clearer and more natural texture, soft color and unique decorative effect, and can be carbonized to different depths to obtain different color effects according to demand.

Easy to maintain: The surface of carbonized poplar wood is treated to be easy to clean and maintain, only need to apply wood wax oil regularly to keep its beauty and performance. ☐







Our certification







PENSZHUANS VILLAGE DATUN TOWN, DOWSWING COUNTY, HEZE CITY, S-UNDONG PROVINCE CHINA, 274000