

Características do produto

Excelente material: Os registros de álamo com o ciclo de crescimento apropriados são selecionados, com grãos claros e textura uniforme, o que garante a força e a estabilidade das placas.

Alto padrão de proteção ambiental: O uso de produtos químicos é estritamente controlado durante o processamento, que está de acordo com os padrões ambientais internacionais e protege a saúde de você e sua família.

Bom desempenho de processamento: Fácil de cortar, perfurar, esculpir e outras operações de processamento, para atender às suas necessidades de uma variedade de design criativo, seja para fazer móveis ([quadro de móveis em relevo térmico](#)), Itens decorativos ou componentes arquitetônicos com facilidade.

Variedade de tamanhos: Forneça uma variedade de tamanhos padrão para sua escolha, mas também suporta tamanhos personalizados para atender aos requisitos individuais de diferentes projetos.

Rico tratamento de superfície: podemos fornecer primer branco e outro tratamento de superfície, e também podemos personalizar a cor de acordo com suas necessidades, para atender aos diferentes requisitos estéticos e práticos de aplicação.

Bom desempenho de proteção: Possui certo desempenho à prova d'água, anti-arranhão e anti-inseto, que prolonga a vida útil do produto do produto e reduz o custo de manutenção.



([China Thermo Poplar Wood atacado](#))

Vantagens do produto

Luz como uma pena, manuseio que economiza trabalho: densidade de apenas 0,42g/cm³, 30% mais leve que o carvalho, mais manuseio e corte de economia de trabalho.

Textura direta, valor online: Cor de creme leve natural grão de madeira macia, facilmente adaptável ao estilo escandinavo, estilo de log, estilo industrial.

Fácil de processar, amigável para iniciantes: Características da madeira macia, processamento manual/mecânico sem pressão, bordas de corte suave sem rugosidade.

Certificação ecológica, mais paz de espírito: A certificação florestal sustentável do FSC é opcional, reduzindo o ônus da terra e aumentando a qualidade



([painéis de madeira sólida tratada com a China](#))

Vantagens exclusivas

Compromisso zero formaldeído: O uso de adesivos ecológicos, através do teste SGS, as famílias de mãe e bebê podem ter certeza de uso.

Secagem ultra-estável: O teor de água é estritamente controlado a 8% a 12%, anti-cracking e deformação, comum às regiões norte e sul.

Personalização única: Gravura a laser, corte em forma, tingimento em lote - nomeie a demanda, nós "faremos com que isso aconteça!"

产品名称	钢板扣板	规格	型号规格
生产厂家(名称)	浙江永固	产地	绍兴市
生产许可证(编号)			
材料名称	镀锌板(板大板有孔板)	单位	张/平方米
规格	1.22m×0.61m	厚度	0.35mm
001	0.35mm	材料牌号	0.35mm
002	0.35mm	材料牌号	0.35mm
003	0.35mm	材料牌号	0.35mm
004	0.35mm	材料牌号	0.35mm
005	0.35mm	材料牌号	0.35mm
006	0.35mm	材料牌号	0.35mm
007	0.35mm	材料牌号	0.35mm
008	0.35mm	材料牌号	0.35mm
009	0.35mm	材料牌号	0.35mm
010	0.35mm	材料牌号	0.35mm
011	0.35mm	材料牌号	0.35mm
012	0.35mm	材料牌号	0.35mm
013	0.35mm	材料牌号	0.35mm
014	0.35mm	材料牌号	0.35mm
015	0.35mm	材料牌号	0.35mm
016	0.35mm	材料牌号	0.35mm
017	0.35mm	材料牌号	0.35mm
018	0.35mm	材料牌号	0.35mm
019	0.35mm	材料牌号	0.35mm
020	0.35mm	材料牌号	0.35mm
021	0.35mm	材料牌号	0.35mm
022	0.35mm	材料牌号	0.35mm
023	0.35mm	材料牌号	0.35mm
024	0.35mm	材料牌号	0.35mm
025	0.35mm	材料牌号	0.35mm
026	0.35mm	材料牌号	0.35mm
027	0.35mm	材料牌号	0.35mm
028	0.35mm	材料牌号	0.35mm
029	0.35mm	材料牌号	0.35mm
030	0.35mm	材料牌号	0.35mm
031	0.35mm	材料牌号	0.35mm
032	0.35mm	材料牌号	0.35mm
033	0.35mm	材料牌号	0.35mm
034	0.35mm	材料牌号	0.35mm
035	0.35mm	材料牌号	0.35mm
036	0.35mm	材料牌号	0.35mm
037	0.35mm	材料牌号	0.35mm
038	0.35mm	材料牌号	0.35mm
039	0.35mm	材料牌号	0.35mm
040	0.35mm	材料牌号	0.35mm
041	0.35mm	材料牌号	0.35mm
042	0.35mm	材料牌号	0.35mm
043	0.35mm	材料牌号	0.35mm
044	0.35mm	材料牌号	0.35mm
045	0.35mm	材料牌号	0.35mm
046	0.35mm	材料牌号	0.35mm
047	0.35mm	材料牌号	0.35mm
048	0.35mm	材料牌号	0.35mm
049	0.35mm	材料牌号	0.35mm
050	0.35mm	材料牌号	0.35mm
051	0.35mm	材料牌号	0.35mm
052	0.35mm	材料牌号	0.35mm
053	0.35mm	材料牌号	0.35mm
054	0.35mm	材料牌号	0.35mm
055	0.35mm	材料牌号	0.35mm
056	0.35mm	材料牌号	0.35mm
057	0.35mm	材料牌号	0.35mm
058	0.35mm	材料牌号	0.35mm
059	0.35mm	材料牌号	0.35mm
060	0.35mm	材料牌号	0.35mm
061	0.35mm	材料牌号	0.35mm
062	0.35mm	材料牌号	0.35mm
063	0.35mm	材料牌号	0.35mm
064	0.35mm	材料牌号	0.35mm
065	0.35mm	材料牌号	0.35mm
066	0.35mm	材料牌号	0.35mm
067	0.35mm	材料牌号	0.35mm
068	0.35mm	材料牌号	0.35mm
069	0.35mm	材料牌号	0.35mm
070	0.35mm	材料牌号	0.35mm
071	0.35mm	材料牌号	0.35mm
072	0.35mm	材料牌号	0.35mm
073	0.35mm	材料牌号	0.35mm
074	0.35mm	材料牌号	0.35mm
075	0.35mm	材料牌号	0.35mm
076	0.35mm	材料牌号	0.35mm
077	0.35mm	材料牌号	0.35mm
078	0.35mm	材料牌号	0.35mm
079	0.35mm	材料牌号	0.35mm
080	0.35mm	材料牌号	0.35mm
081	0.35mm	材料牌号	0.35mm
082	0.35mm	材料牌号	0.35mm
083	0.35mm	材料牌号	0.35mm
084	0.35mm	材料牌号	0.35mm

设计: 杨金生 编辑: 李德寿 校对: 张广

CERTIFICATE OF APPROVAL

SHANDONG MUZHIYUAN INDUSTRIAL DEVELOPMENT CO., LTD.

PEROTI, LINDA A. ADMINISTRATIVE MANAGER, DAYTON TOWNSHIP
ENGINEERING COUNTY, WEST CITY
SHANDON, MISSOURI

has demonstrated state-of-the-art inspection and monitoring, the accuracy of the product equivalent to that of the best. The following are the key features of the product:

- **High Accuracy:** The product is designed to provide accurate measurements of the product's physical properties, such as its weight, volume, and density.
- **High Precision:** The product is designed to provide precise measurements of the product's physical properties, such as its weight, volume, and density.
- **High Reliability:** The product is designed to provide reliable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Efficiency:** The product is designed to provide efficient measurements of the product's physical properties, such as its weight, volume, and density.
- **High Flexibility:** The product is designed to provide flexible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Scalability:** The product is designed to provide scalable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Security:** The product is designed to provide secure measurements of the product's physical properties, such as its weight, volume, and density.
- **High Compatibility:** The product is designed to provide compatible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Interoperability:** The product is designed to provide interoperable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Integration:** The product is designed to provide integrated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Automation:** The product is designed to provide automated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Customization:** The product is designed to provide customized measurements of the product's physical properties, such as its weight, volume, and density.
- **High Adaptability:** The product is designed to provide adaptable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Scalability:** The product is designed to provide scalable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Security:** The product is designed to provide secure measurements of the product's physical properties, such as its weight, volume, and density.
- **High Compatibility:** The product is designed to provide compatible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Interoperability:** The product is designed to provide interoperable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Integration:** The product is designed to provide integrated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Automation:** The product is designed to provide automated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Customization:** The product is designed to provide customized measurements of the product's physical properties, such as its weight, volume, and density.
- **High Adaptability:** The product is designed to provide adaptable measurements of the product's physical properties, such as its weight, volume, and density.

For more information, please contact us at info@ias.com or [1-800-555-1234](tel:+18005551234).

© 2023 IAS. All rights reserved.

Quality Control/Technical Manager
Distribution Services International, LLC

1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 26

Product
Distribution Services International, LLC

LAS

Bureau Veritas Certification

HEZE WOOD EDGE WOOD INDUSTRY CO., LTD.
PENGZHUANG VILLAGE, DATUN TOWN, DONGMING COUNTY, HEZE
CITY, SHANDONG PROVINCE CHINA 274000

Russian Vector Certification Meeting SAII certifies that the company has implemented a PSC TM product group control system according to the Power Standards Council TM certification system. In the above location and occupies with the requirements of Standard

FSC Chain of Custody Certification standard, No.: FSC-COC-40-004 V 3.0

For its untold story concerning

Manufacture and trading of wood product Certified FSC 100% and FSC Mix.

*Updated list of products & species on the FSC database (<http://fsc.org>)

Types of certification: flexible

Original certification date:	05-07-2022
Date of certification expiration:	05-07-2025
Expiration date:	04-07-2025
ISO Certificate code:	09-000-11
ISO Certificate No. / Version:	00000000
Contract No:	13077454
Issue date:	05-07-2022

Signed on behalf of Bureau: _____ Certification: M.Altre

The validity of this certificate shall be contingent upon the recipient's compliance with the conditions specified that a particular service is provided by the certificate holder. FPC certifies to the Contracted third parties, Prospective clients, applicants or staff by the certificate holder as only for the stated purpose(s) the scope of this certificate when the recipient (EE) has a clearly stated to order and Advertiser documents.

Correspondence: Dr. J. H. W. Lam, Department of Microbiology, Prince of Wales Hospital, Shatin, New Territories, Hong Kong.

4 in. of the products or systems that was included in the scope of the certificate was for electrical equipment to function against corrosion. The certificate carried the property of Bureau Veritas Certification, all rights in representation and the certificate itself and its contents were developed in Bureau Veritas certification system. All certificate text in English can be obtained only.