

Textura tare: Chiparosul Hinoki [\[Scândură din lemn de chiparos japonez \]](#) are o textură tare și cu granulație fină. Densitatea sa uscată la aer este de obicei între 0,5 - 0,66 g/cm³, conferindu-i o rezistență excelentă la abraziune și rezistență la compresiune. Mobilierul sau componentele de construcție realizate din acesta pot fi folosite pentru o perioadă lungă de timp.

Frumos cereale: Lemnul are granule drepte și netede, cu modele delicate de munte - ca apă sau nor - ca. Aceste modele sunt naturale și netede și au valoare ornamentală ridicată. Indiferent dacă este prezentat în culoarea sa originală sau vopsit, poate adăuga o estetică unică produselor.

Caracteristicile mirosului: Chiparosul Hinoki emite o aromă naturală proaspătă, blândă și de lungă durată. Această aromă nu numai că poate calma nervii oamenilor, ajutând la relaxarea corpului și a minții și la ameliorarea stresului, dar are și un efect de respingere a insectelor. Poate preveni deteriorarea insectelor și poate proteja structura internă a lemnului.

Durabilitate: Conține ingrediente naturale anti-degradare, care pot rezista eficient cariilor și insectelor dăunătoare. Chiar și într-un mediu relativ umed, își poate menține integritatea structurală mult timp și are o durată de viață lungă. Multe clădiri antice construite cu chiparos hinoki au fost bine conservate de sute de ani.



([China furnizează plăci din lemn de chiparos](#))

Capodopere de mobilier pentru casă

Chiparosul Hinoki este un material ideal pentru realizarea de mobilier de lux. De la mese și scaune elegante, dulapuri rafinate până la paturi confortabile, fiecare piesă de mobilier din chiparos hinoki infuzează spațiul de acasă cu căldură naturală și un stil elegant. Aroma sa unică și textura frumoasă te fac să te simți ca și cum ai fi în pădure, bucurându-te de liniște și confort.

Decoratiune arhitecturala

În domeniul decorului arhitectural, chiparosul hinoki are performanțe remarcabile. Când este utilizat pentru așezarea tavanelor interioare, a panourilor de perete și a podelelor, poate crea un mediu de locuit cald, confortabil și texturat. Mai ales în decorațiunile în stil japonez sau chinezesc

care urmăresc un stil natural, aplicarea chiparosului hinoki poate interpreta perfect conceptul estetic al integrării tradiției și modernității.

Meșteșuguri artistice

Textura fină a chiparosului hinoki îl face o alegere excelentă pentru sculptură artizanală. Sculptorii își pot arăta pe deplin abilitățile pe chiparosul hinoki, creând lemn viu - ornamente sculptate, statui delicate de Buddha și alte obiecte de artizanat. Aceste lucrări nu au doar valoare artistică, ci servesc și ca purtători pentru moștenirea culturii și emoțiilor.

Delicii pentru baie

Datorită proprietăților sale bune anti-coroziune și antibacteriene, chiparosul hinoki este deosebit de potrivit pentru fabricarea produselor de baie. O cadă de chiparos hinoki vă permite să vă bucurați pe deplin de aroma sa naturală în timp ce faceți o baie, relaxându-vă corpul și mintea. Produse precum scaunele de toaletă și suporturile pentru prosoape hinoki chiparos nu sunt doar practice, dar adaugă și o notă de frumusețe naturală spațiului de baie.

Suntem foarte conștienți de prețiozitatea chiparosului hinoki, așa că controlăm cu strictețe calitatea în fiecare etapă. De la selecția meticuloasă a materiilor prime, la rafinarea continuă a tehnicilor de fabricație și apoi la inspecția strictă a produselor finite, ne angajăm să vă oferim produse de chiparos hinoki de cea mai înaltă calitate. Fiecare produs întruchipează căutarea noastră persistentă de calitate și așteptările noastre frumoase pentru calitatea vieții dumneavoastră. Alegerea produselor noastre de chiparos hinoki înseamnă alegerea unui mod de viață de înaltă calitate, în armonie cu natura.



([Comerț cu ridicata al fabricii de lemn de chiparos din Shandong](#))

Certificarea noastră

[illegible]

设计：杨金生 编辑：李德军 主创：张勇

CERTIFICATE OF APPROVAL

SHANDONG MUZHIYUAN INDUSTRIAL DEVELOPMENT CO., LTD.

PEROTI, LINDA A. ADMINISTRATIVE MANAGER, DAYTON TOWNSHIP
ENGINEERING COUNTY, WEST CITY
SHANDON, MISSOURI

has demonstrated state-of-the-art inspection and monitoring, the accuracy of the product equivalent to that of the best. The following are the key features of the product:

- **High Accuracy:** The product is designed to provide accurate measurements of the product's physical properties, such as its weight, volume, and density.
- **High Precision:** The product is designed to provide precise measurements of the product's physical properties, such as its weight, volume, and density.
- **High Reliability:** The product is designed to provide reliable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Efficiency:** The product is designed to provide efficient measurements of the product's physical properties, such as its weight, volume, and density.
- **High Flexibility:** The product is designed to provide flexible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Scalability:** The product is designed to provide scalable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Security:** The product is designed to provide secure measurements of the product's physical properties, such as its weight, volume, and density.
- **High Compatibility:** The product is designed to provide compatible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Interoperability:** The product is designed to provide interoperable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Integration:** The product is designed to provide integrated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Automation:** The product is designed to provide automated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Customization:** The product is designed to provide customized measurements of the product's physical properties, such as its weight, volume, and density.
- **High Adaptability:** The product is designed to provide adaptable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Scalability:** The product is designed to provide scalable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Security:** The product is designed to provide secure measurements of the product's physical properties, such as its weight, volume, and density.
- **High Compatibility:** The product is designed to provide compatible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Interoperability:** The product is designed to provide interoperable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Integration:** The product is designed to provide integrated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Automation:** The product is designed to provide automated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Customization:** The product is designed to provide customized measurements of the product's physical properties, such as its weight, volume, and density.
- **High Adaptability:** The product is designed to provide adaptable measurements of the product's physical properties, such as its weight, volume, and density.

For more information, please contact us at info@laser.com or call us at 1-800-123-4567.

LASER

1-800-123-4567

Quality Control/Technical Manager
Distribution Services International, LLC

1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 26

Contributor: Barbara International, LLC

LAS

Bureau Veritas Certification

HEZE WOOD EDGE WOOD INDUSTRY CO., LTD.
PENGZHILANG VILLAGE, DATUN TOWN, DONGMING COUNTY, HEZE
CITY, SHANDONG PROVINCE CHINA, 274000

Autosan Vertriebs-Gesellschaft mbH certifies that the company has implemented a FSC™ product group control system according to the Forest Stewardship Council™ certification system. In the above location and respects with the requirements of Standard

FSC Chain of Custody Certification standard, No.: FSC-COC-40-004 V 3.0

For its untold story concerning

Manufacture and trading of wood product Certified FSC 100% and FSC Mix.

*Updated list of products & species on the FIC Database (<http://ic.fao.org>)

Type of certification: Single

Original certification date:	05-02-2022
Date of certification decision:	05-02-2022
Expiration date:	04-02-2028
FPO Certificate code:	09-000-11
IN Certificate No. / Version:	070000000
Contract No:	13077452
Issue date:	09-02-2022

Signed on behalf of Bureau: _____, Certification: _____, Mailing: _____

The validity of this certificate shall be certified or null for any third parties institutions and countries applying that a particular product supplied by the candidate holder is FSC certified or FSC Controlled source. Products where physical sold by the certificate holder are only for (domestic markets) the scope of this certificate when the required FSC label is clearly stated in codes and labels documents.

Correspondence: Dr. J. H. Wu, Institute of Microbiology, Chinese Academy of Sciences, Beijing 100085, China.
E-mail: wujiahong@im.ac.cn

4 for all of the products or mixtures that are produced in the scope of the certificate may be obtained on request by the competent authorities. For certificates covering the property of human remains (anthropology, all aspects of repatriation and the activities dealt with in this notice) issued in German Federal territories (except in *Mecklenburg-Vorpommern*), the certificate must be submitted to the competent authorities in the German Federal territories (except in *Mecklenburg-Vorpommern*).