

Наша доска OSB (ориентированная на прядь)-это высокопроизводительная доска, созданная с использованием передовых технологий и высококачественного сырья. Благодаря своей уникальной структуре и выдающейся производительности, он широко используется во многих областях, таких как производство строительства и мебели, что обеспечивает надежные материальные решения для различных проектов.

Основные особенности

Высокая сила и жесткость: Панели OSB ([Ориентированная цепча](#)) изготовлены из тщательно обработанных листов планеров, которые ориентированы в определенном направлении, а затем тесно связаны в процессе горячего нажатия. Эта уникальная ориентированная структура дает доски чрезвычайно высокую прочность и жесткость как в направлениях длины, так и в направлениях ширины, что позволяет им выдерживать большие нагрузки и давления, не будучи легко деформированы или сломаны, что делает их идеальными нагрузками для строительных конструкций.

Выдающаяся стабильность: Материал равномерный, а внутренняя структура плотная, эффективно преодолевая дефекты естественного дерева, которые легко деформируются и деформируются. Будь то в среде с большими изменениями температуры или высокой влажностью, наши панели OSB поддерживают хорошую стабильность размеров, обеспечивая качество и срок службы готового продукта.

Отличная устойчивость к влаге: Во время производственного процесса мы используем высококачественные водонепроницаемые адгезивы и обрабатываем доски с помощью особой устойчивой к влажности обработки. Это заставляет платы OSB обладать превосходной устойчивостью к влажности, низкой скорости расширения после встречи с водой и может в определенной степени противостоять эрозии воды, которая может широко использоваться на кухнях, ванных комнатах и других областях с высокой влажностью.

Защита окружающей среды и здоровье: Строго следуйте стандартам защиты окружающей среды, использованию экологически чистых клеев, освобождение свободного формальдегида очень низкое, намного ниже национального стандарта. Мы стремимся предоставлять клиентам зеленые, здоровые и безопасные продукты, чтобы вы не беспокоились о использовании, чтобы создать удобную и полезную среду для жизни для вас и вашей семьи.

Хорошая производительность обработки: Легко выполнять разбивание, планирование, гвоздь, бурение, фрезерование и другие операции по обработке, в соответствии с различными требованиями проектирования, легко превращаются в различные формы и размеры продуктов. Поверхность плоская и гладкая, подходит для винира, живописи и других декоративных процедур, которые могут соответствовать диверсифицированным стилям оформления и требованиям к дизайну, обеспечивая большое удобство для производства мебели и отделки внутренних дел.



[Высокая прочность устойчивая к влажной плате OSB](#)

Сценарий приложения

Строительство: В качестве крыши, пола и настенных панелей в конструкциях здания он обеспечивает надежную структурную опору. Его высокая прочность и стабильность могут обеспечить безопасность и долговечность здания, в то время как его хорошая защита от влаги также подходит для влажных подвалов и внешних стен.

Производство мебели: Это высококачественный материал для создания различных видов мебели, таких как гардеробные, шкафы, книжные полки, столы и стулья. Он может быть персонализирован в соответствии с различными требованиями дизайна для создания модных и практических мебельных продуктов. Его экологические показатели также делают мебель более здоровой и экологически чистой, в соответствии с современными потребителями »стремления к качественной жизни.

Украшение интерьера: Используется для внутреннего потолка, перегородки, украшения стен и т. Д., Можно использовать с различными декоративными материалами для создания различных стилей отделки. После того, как поверхность была обработана, она может представлять красивые текстуры и цвета, улучшая общую эстетику внутреннего пространства.

Упаковочная индустрия: Из -за его высокой прочности и легкого веса платы OSB также обычно используются для изготовления упаковочных материалов, таких как коробки и лотки, которые могут эффективно защищать безопасность продуктов во время транспортировки и хранения.



[\[Совет по оформлению дома OSB\]](#)

Гарантия качества

У нас есть передовое производственное оборудование и строгая система контроля качества, от покупки сырья до готовой продукции, каждая ссылка строго проверяется и протестирована. Мы гарантируем, что каждая часть доски OSB соответствует высококачественному стандарту, предоставляя клиентам стабильные и надежные продукты.

Выбор наших плат OSB выбирает высококачественную, высокую производительность и экономически эффективные продукты. Если вы заинтересованы в наших продуктах или у вас есть какие-либо вопросы, пожалуйста, не стесняйтесь обращаться к нам, мы будем рады вам служить!



Наша сертификация

[illegible]

委员：杨金士 委员：李德军 主任：张广

CERTIFICATE OF APPROVAL

SHANDONG MUZHIYUAN INDUSTRIAL DEVELOPMENT CO., LTD.

PEROTI, LINDA A. ADMINISTRATIVE MANAGER, DAYTON TOWNSHIP
ENGINEERING COUNTY, WEST CITY
SHANDON, MISSOURI

has demonstrated state-of-the-art inspection and monitoring, the accuracy of the product equivalent to that of the best. The following are the key features of the product:

- **High Accuracy:** The product is designed to provide accurate measurements of the product's physical properties, such as its weight, volume, and density.
- **High Precision:** The product is designed to provide precise measurements of the product's physical properties, such as its weight, volume, and density.
- **High Reliability:** The product is designed to provide reliable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Efficiency:** The product is designed to provide efficient measurements of the product's physical properties, such as its weight, volume, and density.
- **High Flexibility:** The product is designed to provide flexible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Scalability:** The product is designed to provide scalable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Security:** The product is designed to provide secure measurements of the product's physical properties, such as its weight, volume, and density.
- **High Compatibility:** The product is designed to provide compatible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Interoperability:** The product is designed to provide interoperable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Integration:** The product is designed to provide integrated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Automation:** The product is designed to provide automated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Customization:** The product is designed to provide customized measurements of the product's physical properties, such as its weight, volume, and density.
- **High Adaptability:** The product is designed to provide adaptable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Scalability:** The product is designed to provide scalable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Security:** The product is designed to provide secure measurements of the product's physical properties, such as its weight, volume, and density.
- **High Compatibility:** The product is designed to provide compatible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Interoperability:** The product is designed to provide interoperable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Integration:** The product is designed to provide integrated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Automation:** The product is designed to provide automated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Customization:** The product is designed to provide customized measurements of the product's physical properties, such as its weight, volume, and density.
- **High Adaptability:** The product is designed to provide adaptable measurements of the product's physical properties, such as its weight, volume, and density.

For more information, please contact us at info@laserline.com or [+49-51-30-30-30](tel:+49-51-30-30-30).

LASERLINE

www.laserline.com

Quality Control/Technical Manager
Distribution Services International, LLC

1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 26

Product
Distribution Services International, LLC

LAS

Bureau Veritas Certification

HEZE WOOD EDGE WOOD INDUSTRY CO., LTD.
PENGZHILANG VILLAGE, DATUN TOWN, DONGMING COUNTY, HEZE
CITY, SHANDONG PROVINCE CHINA, 274000

Autosan Vertriebs-Gesellschaft mbH certifies that the company has implemented a FSC™ product group control system according to the Forest Stewardship Council™ certification system. In the above location and respects with the requirements of Standard

FSC Chain of Custody Certification standard, No.: FSC-COC-40-004 V 3.0

For its untold story concerning

Manufacture and trading of wood product Certified FSC 100% and FSC Mix.

*Updated list of products & species on the FSC database (<http://fsc.org>)

Type of certification: Single

Original certification date:	05-02-2022
Date of certification decision:	05-02-2022
Expiration date:	04-02-2028
FPO Certificate code:	09-000-11
BN Certificate No. / Version:	070000000
Contract No:	13077452
Issue date:	09-02-2022

Signed on behalf of Bureau: *Horizontal Certification Marking*

The validity of this certificate shall not constitute a liability for any. This certificate shall not be construed as evidence that a particular product supplied by the signatory holds a PRC certified or PEE Certified Award. Products offered, although sold by the certificate holder, are only for commercial reasons by the issue of this certificate when the required PEE Award is clearly shown on order and delivery documents.

Correspondence: Dr. J. H. Wu, Institute of Botany, Chinese Academy of Sciences, Beijing 100871, China.
E-mail: wujiahua@ibp.ac.cn

4. For all the products or services that are included in the scope of the certificate, you are obligated to request a Bureau member certification. For certificates covering the property of Bureau member Certification, all requests for representation and the certificate itself shall be reviewed, developed in Bureau/Forum certification requests. All certificates are in English. Tel: 01043040140