



□Melamin Çam Blok Kartı Tedariki□

Çekirdek: Genellikle, düzgün doku, belirgin kusurlar ve paneller için temel destek sağlamak için belirli bir mukavemet ve stabilite sağlamak için kurutulmuş, taranan ve diğer tedavilerle birlikte eklenmiş birkaç ahşap şerit parçasından oluşur.

Yüzey Katmanı: Melamin emprenye edilmiş yapışkan film kağıdı, çekirdek malzemenin her iki tarafında lamine edilir. Bu makale, meşe, ceviz vb. Gibi çeşitli doğal ağaçların görünümünü taklit etmek için zengin renk ve dokular ile özel olarak işlenmiştir. Farklı dekorasyon stillerini ve tasarım ihtiyaçlarını karşılamak için çeşitli düz renkler de mevcuttur.



(Çin melamin masif ahşap blok tahta toptan)

Estetik: Parlak renklerin yüzeyinde melamin emprenye edilmiş yapışkan film kağıdı, açık doku, gerçekçi bir ahşap dokusu sunabilir, böylece yüksek derecede dekoratif ile mobilya veya dekorasyon, solması kolay değildir, renk değişikliği, uzun süre güzel tutulabilir.

Aşınma Direnci: İyi aşınma direnci, günlük sürtünme kullanımı, çizilmeyi yüzeyde belirgin izler

bırakmak kolay değildir, yüzeyi düz ve pürüzsüz tutabilir, temizlenmesi ve bakımı kolay, masaüstü, dolap kapıları gibi mobilya yüzeylerinin sık kullanılması için uygundur.

Korozyon Direnci: Genel asit, alkali, gres ve alkol ve diğer çözücüler belirli bir direnç derecesine sahiptir, bu maddeler tarafından aşınması kolay değildir, görünmesi kolay görünmez, mutfakta, banyo ve diğer fenomenler, banyo ve ortamdaki kimyasal maddelerle kimyasal maddelerle temas etmesi kolay olabilir.

Kararlılık: Çekirdek malzeme birlikte eklenmiş ahşap şeritlerden yapıldığından ve katı kurutma işlemine tabi tutulduğundan, her iki tarafta melamin emprenye edilmiş yapışkan film kağıdı kısıtlamaları ile birleştiğinde, kartların yapısını daha kararlı hale getirir ve çevre nemindeki değişiklikler nedeniyle önemli ölçüde deforme olmanın veya çatlamanın daha düşük olması daha olasıdır.

Çevre Koruma: Çevre Dostu Yapıştırıcı Kullanılarak Yüksek Kaliteli Melamin Kilo Tahtası, E1, E0 ve hatta ENF seviyesi gibi ilgili ulusal çevre standartlarına uygun olarak, kapalı ortam için sağlık koruması sağlayabilir. Bununla birlikte, piyasada bazı düzensiz ürünler de vardır, ürünlerin seçiminde çevre test raporunu kontrol etmek için dikkat edilmesi gerekir.



[\(Çin Melamine Blok Kurulu Toptan\)](#)

Mobilya Üretimi: Dolaplar, dolaplar, kitaplıklar, TV dolapları ve diğer mobilya türleri yapmak için yaygın bir malzemedir ve farklı mobilya stillerinin ve stillerinin tasarım gereksinimlerini karşılayabilen mobilya dolapları, dolap kapıları ve diğer parçalar yapmak için kullanılabilir.

İç dekorasyon: İç dekorasyonda, siding yapmak, tavan modelleme vb. Gibi duvar ve tavan dekorasyonu için kullanılabilir; Ayrıca, alana güzellik ve işlevsellik ekleyerek bölüm ve ekran üretimi için de kullanılabilir.

Diğer kullanımlar: Bazı küçük el sanatları, ekran rafları vb. Ortak özellikleri

2440 mm uzunluğunda, 1220mm genişliğinde ve 12mm, 15mm, 18mm kalınlık, vb.

Sertifikasyonumuz

产品名称	圆木脚垫	规格	型号
生产厂(公司)	浙江永固	产地	浙江省
检验依据	GB 2818-2005	检验数量	
生产单位(地址): 永康市永固木业有限公司			
生产日期	永康市永固木业有限公司	生产日期	浙江永康
送检日期	2017-11-15	检验日期	2017-11-15
检测项目	物理力学性能: 静载荷 6kN	委托人	浙江永固木业有限公司
检验结果	符合标准	检验员	王健
备注	浙江永固木业有限公司		
检测结论	合格		
检测单位	浙江永固木业有限公司		

委员：杨金士 委员：李德军 主任：张广

CERTIFICATE OF APPROVAL

SHANDONG MUZHIYUAN INDUSTRIAL DEVELOPMENT CO., LTD.

PEROTI, LINDA A. ADMINISTRATIVE MANAGER, DAYTON TOWNSHIP
ENGINEERING COUNTY, WEST CITY
SHANDON, MISSOURI

has demonstrated state-of-the-art inspection and monitoring, the accuracy of the product equivalent to that of the best. The following are the key features of the product:

- **High Accuracy:** The product is designed to provide accurate measurements of the product's physical properties, such as its weight, volume, and density.
- **High Precision:** The product is designed to provide precise measurements of the product's physical properties, such as its weight, volume, and density.
- **High Reliability:** The product is designed to provide reliable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Efficiency:** The product is designed to provide efficient measurements of the product's physical properties, such as its weight, volume, and density.
- **High Flexibility:** The product is designed to provide flexible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Scalability:** The product is designed to provide scalable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Security:** The product is designed to provide secure measurements of the product's physical properties, such as its weight, volume, and density.
- **High Compatibility:** The product is designed to provide compatible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Interoperability:** The product is designed to provide interoperable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Integration:** The product is designed to provide integrated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Automation:** The product is designed to provide automated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Customization:** The product is designed to provide customized measurements of the product's physical properties, such as its weight, volume, and density.
- **High Adaptability:** The product is designed to provide adaptable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Scalability:** The product is designed to provide scalable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Security:** The product is designed to provide secure measurements of the product's physical properties, such as its weight, volume, and density.
- **High Compatibility:** The product is designed to provide compatible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Interoperability:** The product is designed to provide interoperable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Integration:** The product is designed to provide integrated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Automation:** The product is designed to provide automated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Customization:** The product is designed to provide customized measurements of the product's physical properties, such as its weight, volume, and density.
- **High Adaptability:** The product is designed to provide adaptable measurements of the product's physical properties, such as its weight, volume, and density.

For more information, please contact us at info@laser.com or call us at 1-800-123-4567.

LASER

1-800-123-4567

Quality Control/Technical Manager
Distribution Services International, LLC

1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 26

Product
Distribution Services International, LLC

LAS

Bureau Veritas Certification

HEZE WOOD EDGE WOOD INDUSTRY CO., LTD.
PENGZHILANG VILLAGE, DATUN TOWN, DONGMING COUNTY, HEZE
CITY, SHANDONG PROVINCE CHINA, 274000

Autosan Vertriebs-Gesellschaft mbH certifies that the company has implemented a FSC™ product group control system according to the Forest Stewardship Council™ certification system. In the above location and respects with the requirements of Standard

FSC Chain of Custody Certification standard, No.: FSC-COC-40-004 V 3.0

For its untold story concerning

Manufacture and trading of wood product Certified FSC 100% and FSC Mix.

*Updated list of products & species on the FIC Database (<http://ic.fao.org>)

Type of certification: Single

Original certification date:	05-02-2022
Date of certification decision:	05-02-2022
Expiration date:	04-02-2028
FPO Certificate code:	09-000-11
IN Certificate No. / Version:	070000000
Contract No:	13077452
Issue date:	09-02-2022

Signed on behalf of Bureau: *Horizontal Certification Marking*

The validity of this certificate shall not constitute a liability for any. This certificate shall not be construed as evidence that a particular product supplied by the signatory holds a PRC certified or PRC Certified brand. Products offered, although sold by the certificate holder, are not to be construed as covered by the scope of this certificate when the required PRC label is clearly absent or unclear and subject to assessment.

Correspondence: Dr. J. H. Wu, Institute of Botany, Chinese Academy of Sciences, Beijing 100871, China.
E-mail: wujiahua@ibp.ac.cn

4. For all the products or services that are included in the scope of the certificate, you are obligated to request a Bureau member certification. For certificates covering the property of Bureau member Certification, all requests for representation and the certificate itself shall be reviewed, developed in Bureau/Forum certification requests. All certificates are in English. Tel: 01043040140