


Основна інформація про товар

Сировина: [Високоякісна деревна Пауловія](#) вибирається як основна сировина. Дерево Paulownia швидко росте, матеріал легкий і м'який, з природними хорошими переробними показниками. Ми вибираємо журнали Paulownia з прямим зерном, навіть текстурою та очевидними дефектами, такими як моль та розпад, щоб забезпечити якісну базу продукту.

Відбілювання: для лікування деревини Пауловії використовується унікальний та екологічно чистий процес відбілювання. Цей процес ефективно видаляє природні пігменти та домішки на поверхні деревини Пауловії, при цьому зберігаючи первісну структуру та фізичні властивості деревини. Після відбілювання, Paulownia Wood представляє рівномірний білий колір, що дає гарну основу для подальшої обробки та застосування.

Специфікація та розмір: Ми можемо забезпечити вибілену продукцію Paulownia з різними специфікаціями відповідно до клієнтів "потреби", а загальна товщина дощок включає, але не обмежуючись 3 мм, 5 мм, 9 мм, 12 мм, 15 мм, 18 мм тощо. Ширина та довжина також можуть бути налаштовані для задоволення конкретних вимог різних проектів та продуктів.



□ [Китай вибілена дошка з твердої деревини](#) □

Особливості продукту

Матеріал легкий і м'який: сама Павлоунія легка і досі підтримує цю характеристику після відбілювання. Світло -м'який матеріал робить продукт більш зручним у процесі поводження, обробки та встановлення, що може ефективно знизити інтенсивність праці та транспортні витрати.

Прекрасна текстура: вибілена деревна Пауловія ([Вибілена дошка меблів Paulownia](#)) має чітку та природну текстуру, представляючи унікальне відчуття краси. Його зерно є прямим і рівномірним, додаючи природний декоративний ефект для всіх видів продуктів, незалежно від того, що використовується для виготовлення меблів чи прикраси, може показати інший стиль.

Хороші показники обробки: Paulownia Wood має хороші показники переробки, легкі для розгляду, планування, буріння та різьблення. Обробка відбілювання не впливає на його первісні показники обробки, а робить поверхню деревини більш гладкою, сприятливішою для подальшої обробки, для задоволення потреб різних процесів.

Висока стабільність: розмірна стабільність вибілених продуктів Paulownia ще більше покращилася за допомогою спеціального процесу лікування. У різних умовах вологості та температури навколишнього середовища деформація, розтріскування та інші проблеми непрості, і можна підтримувати тривалий час у хорошому стані.

Екологічно чистий та здоровий: процес відбілювання та пов'язані з цим хімічні речовини, які ми використовуємо, відповідають стандартам екологічних норм, щоб забезпечити нешкідливий для людини та навколишнє середовище у виробництві та використанні процесу. У той же час, Паулов'я Вуд як відновлюване ресурс, але також відповідає концепції сталого розвитку.



Переваги продукту

Індивідуальне налаштування: Відповідно до конкретних потреб клієнтів, ми можемо надати персоналізовані послуги налаштування від розміру специфікації до поверхневої обробки тощо. Незалежно від того, чи це особливі кольорові вимоги, текстурні ефекти чи унікальні специфікації розміру, ми можемо спробувати все можливе, щоб їх зустріти та створити унікальні продукти для клієнтів.

Забезпечення якості: Ми суворо дотримуємось стандартів контролю якості на кожному кроці від придбання сировини до виробництва та обробки. Завдяки професійній інспекції якості та вдосконаленим тестувальним обладнанням, ми проводимо суворе тестування різних показників продукції, щоб забезпечити, щоб кожен продукт відповідав вимогам високої якості.

Ефективний: порівняно з деякими іншими дерев'яними продуктами, вибілена Пауловія має хороші показники та прекрасний зовнішній вигляд, тоді як ціна є більш розумною. Його легкий і м'який матеріал також зменшує витрати на переробку та транспортування, щоб клієнти могли

отримувати високу якість продуктів за відносно низькою вартістю, з високими показниками витрат.

Занесення застосування

Виробництво меблів: Широко використовується у виробництві різних видів меблів, таких як шафи з твердої деревини, столи, обідні столи, стільці тощо. Його легкий і м'який матеріал легко переробляти в різні форми, а його прекрасна текстура та білий колір можуть підвищити загальну якість та декоративний ефект меблів.

Прикраса: його можна використовувати для прикраси стін, стелі, підлоги тощо. Як декоративний матеріал, вибілена Пауловія може створити теплу, природну та просту атмосферу в приміщенні, тоді як її хороша стабільність також може забезпечити довгостроковий декоративний ефект.

Виробництво ремесел: Завдяки своїй легкій обробці та різьбленні характеристик це ідеальний матеріал для виготовлення всіх видів ремесел, таких як прикраси з різьблення деревини, фото - рамки, коробки для ювелірних виробів тощо. Він може показувати прекрасну майстерність та унікальний художній шарм.

Упаковка: вона підходить для виготовлення всіх видів пакувальних матеріалів, таких як коробки, коробки тощо. Світло -м'який матеріал може не тільки захистити товари, але й знизити вартість упаковки, в той же час, його хороші показники обробки також легко створити різноманітні форми та технічні характеристики упаковки.



Наша сертифікація

[illegible]

委员：杨金士 委员：李德军 主任：张广

CERTIFICATE OF APPROVAL

SHANDONG MUZHIYUAN INDUSTRIAL DEVELOPMENT CO., LTD.

PERMITS/PLANS ADMINISTRATIVE WILLAGE, DARTMOUTH COLLEGE, NEWTON, MASSACHUSETTS

has demonstrated state-of-the-art inspection and monitoring, the accuracy of the product equivalent to that of the best. The following are the key features of the product:

- **High Accuracy:** The product is designed to provide accurate measurements of the product's physical properties, such as its weight, volume, and density.
- **High Precision:** The product is designed to provide precise measurements of the product's physical properties, such as its weight, volume, and density.
- **High Reliability:** The product is designed to provide reliable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Efficiency:** The product is designed to provide efficient measurements of the product's physical properties, such as its weight, volume, and density.
- **High Flexibility:** The product is designed to provide flexible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Scalability:** The product is designed to provide scalable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Security:** The product is designed to provide secure measurements of the product's physical properties, such as its weight, volume, and density.
- **High Compatibility:** The product is designed to provide compatible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Interoperability:** The product is designed to provide interoperable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Integration:** The product is designed to provide integrated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Automation:** The product is designed to provide automated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Customization:** The product is designed to provide customized measurements of the product's physical properties, such as its weight, volume, and density.
- **High Adaptability:** The product is designed to provide adaptable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Scalability:** The product is designed to provide scalable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Security:** The product is designed to provide secure measurements of the product's physical properties, such as its weight, volume, and density.
- **High Compatibility:** The product is designed to provide compatible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Interoperability:** The product is designed to provide interoperable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Integration:** The product is designed to provide integrated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Automation:** The product is designed to provide automated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Customization:** The product is designed to provide customized measurements of the product's physical properties, such as its weight, volume, and density.
- **High Adaptability:** The product is designed to provide adaptable measurements of the product's physical properties, such as its weight, volume, and density.

For more information, please contact us at info@laserline.com or [+49-51-91-91-91](tel:+49-51-91-91-91).

LASERLINE

www.laserline.com

Quality Control/Technical Manager
Distribution Services International, LLC

1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 26

Product
Distribution Services International, LLC

LAS

Bureau Veritas Certification

HEZE WOOD EDGE WOOD INDUSTRY CO., LTD.
PENGZHUANG VILLAGE, DATUN TOWN, DONGMING COUNTY, HEZE
CITY, SHANDONG PROVINCE CHINA 274000

Russian Vector Certification Meeting SAII certifies that the company has implemented a PSC TM product group control system according to the Power Standards Council TM certification system. In the above location and occupies with the requirements of Standard

FSC Chain of Custody Certification standard, No.: FSC-COC-40-004 V 3.0

For its untold story concerning

Manufacture and trading of wood product Certified FSC 100% and FSC Mix.

*Updated list of products & species on the FSC database (<http://fsc.org>)

Type of certification: Single

Original certification date:	05-07-2022
Date of certification expiration:	05-07-2025
Expiration date:	04-07-2025
ISO Certificate code:	09-000-11
ISO Certificate No. / Version:	00000000
Contract No:	13077454
Issue date:	05-07-2022

Signed on behalf of Bureau: _____ Certification: M.Altre

This validity of this certificate shall be conditioned on the fact that the certificate holder and certificate holder's representative have accepted the terms and conditions of the certificate and the certificate holder's representative has accepted the terms and conditions of the certificate holder's representative. The certificate holder's representative shall be responsible for the validity of this certificate and the certificate holder's representative shall be responsible for the validity of this certificate.

For further information, please contact the following:

© 2004 Blackwell Publishing Ltd, *Journal of Internal Medicine* 255: 105–112