

Tổng quan về sản phẩm

Cây dương cacbon hóa ([Bảng gỗ gỗ hồng sắc Trung Quốc](#)) là một loại gỗ biến đổi sau khi xử lý cacbon hóa nhiệt độ cao, sử dụng cây dương chất lượng cao làm nguyên liệu thô và trong môi trường nhiệt độ cao để xử lý nhiệt phân.

Đặc trưng

Thân thiện với môi trường và lành mạnh: cacbon hóa bằng các phương pháp vật lý, mà không cần thêm bất kỳ hóa chất nào, không độc hại, vô hại, an toàn và thân thiện với môi trường, phù hợp với các tiêu chuẩn môi trường quốc tế.

Chống ăn mòn và chống ảnh hưởng: Môi trường nhiệt độ cao giết chết hiệu quả của nấm và trứng côn trùng trong gỗ, phá hủy môi trường sống của chúng, tạo ra các đặc tính chống ăn mòn và chống triệt để tuyệt vời, và kéo dài tuổi thọ dịch vụ của nó.

Tính ổn định và độ bền: Quá trình cacbon hóa giảm ([Trung Quốc bán buôn gỗ Thermo](#)) Sự hấp thụ độ ẩm của gỗ, cải thiện độ ổn định kích thước và làm cho nó ít dễ bị biến dạng và nứt, làm cho nó phù hợp với một loạt các điều kiện khí hậu.

Kết cấu tự nhiên: Gỗ cacbon hóa có kết cấu rõ ràng và tự nhiên hơn, màu sắc mềm mại và hiệu ứng trang trí độc đáo, và có thể được cacbon hóa đến các độ sâu khác nhau để có được các hiệu ứng màu khác nhau theo nhu cầu.

Dễ dàng bảo trì: Bề mặt của gỗ cây dương cacbon hóa được xử lý để dễ dàng làm sạch và bảo trì, chỉ cần áp dụng dầu sáp gỗ thường xuyên để giữ vẻ đẹp và hiệu suất của nó.



Ứng dụng

Do hiệu suất tuyệt vời của nó, poplar cacbua được sử dụng rộng rãi trong các lĩnh vực sau:

Trang trí nội thất: Sàn, tấm tường, trần, đồ nội thất, cầu thang, cửa ra vào và cửa sổ, v.v.

Cảnh quan ngoài trời: sàn, hàng rào, hộp hoa, gian hàng, nhà gỗ, nền tảng thân thiện với nước, v.v.

Các lĩnh vực khác: Thủ công mỹ nghệ, nhạc cụ, vật liệu đóng gói, v.v.

Đặc điểm kỹ thuật sản phẩm

Các thông số kỹ thuật của cây dương cacbon hóa có thể được tùy chỉnh theo yêu cầu của khách hàng", các thông số kỹ thuật phổ biến bao gồm:

Độ dày: 15mm, 20 mm, 25 mm, 30 mm, v.v.

Chiều rộng: 90mm, 120mm, 140mm, 160mm, v.v.

Chiều dài: 900mm, 1200mm, 1500mm, 1800mm, v.v.



([Board poplar cacbon hóa Trung Quốc](#))

Chứng nhận của chúng tôi

产品名称	圆木脚垫	规格	型号
生产厂(公司)	浙江永固	产地	浙江省
检验依据	GB 2818-2005	检验数量	
生产单位(地址): 永康市永固木业有限公司			
生产日期	永康市永固木业有限公司	生产日期	浙江永康
送检日期	2017-11-15	检验日期	2017-11-15
检测项目	圆木脚垫 规格: 60x60	委托人	浙江永固木业有限公司
检验结果	符合 GB 2818-2005 要求	检验员	王明华
备注	浙江永固木业有限公司		
检测结论	合格		
检测单位	浙江永固木业有限公司		

委员：杨金士 委员：李德军 主任：张广

CERTIFICATE OF APPROVAL

SHANDONG MUZHIYUAN INDUSTRIAL DEVELOPMENT CO., LTD.

PEROTI, LINDA A. ADMINISTRATIVE MANAGER, DAYTON TOWNSHIP
ENGINEERING COUNTY, WEST CITY
SHANDON, MISSOURI

has demonstrated state-of-the-art inspection and monitoring, the accuracy of the product equivalent to that of the best. The following are the key features of the product:

- **High Accuracy:** The product is designed to provide accurate measurements of the product's physical properties, such as its weight, volume, and density.
- **High Precision:** The product is designed to provide precise measurements of the product's physical properties, such as its weight, volume, and density.
- **High Reliability:** The product is designed to provide reliable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Efficiency:** The product is designed to provide efficient measurements of the product's physical properties, such as its weight, volume, and density.
- **High Flexibility:** The product is designed to provide flexible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Scalability:** The product is designed to provide scalable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Security:** The product is designed to provide secure measurements of the product's physical properties, such as its weight, volume, and density.
- **High Compatibility:** The product is designed to provide compatible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Interoperability:** The product is designed to provide interoperable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Integration:** The product is designed to provide integrated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Automation:** The product is designed to provide automated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Customization:** The product is designed to provide customized measurements of the product's physical properties, such as its weight, volume, and density.
- **High Adaptability:** The product is designed to provide adaptable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Scalability:** The product is designed to provide scalable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Security:** The product is designed to provide secure measurements of the product's physical properties, such as its weight, volume, and density.
- **High Compatibility:** The product is designed to provide compatible measurements of the product's physical properties, such as its weight, volume, and density.
- **High Interoperability:** The product is designed to provide interoperable measurements of the product's physical properties, such as its weight, volume, and density.
- **High Integration:** The product is designed to provide integrated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Automation:** The product is designed to provide automated measurements of the product's physical properties, such as its weight, volume, and density.
- **High Customization:** The product is designed to provide customized measurements of the product's physical properties, such as its weight, volume, and density.
- **High Adaptability:** The product is designed to provide adaptable measurements of the product's physical properties, such as its weight, volume, and density.

For more information, please contact us at info@ias.com or [1-800-555-1234](tel:+18005551234).

© 2023 IAS. All rights reserved.

Quality Control/Technical Manager
Distribution Services International, LLC

1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 26

Product
Distribution Services International, LLC

LAS

Bureau Veritas Certification

HEZE WOOD EDGE WOOD INDUSTRY CO., LTD.
PENGZHUANG VILLAGE, DATUN TOWN, DONGMING COUNTY, HEZE
CITY, SHANDONG PROVINCE CHINA 274000

Russian Vector Certification Meeting SAII certifies that the company has implemented a PSC TM product group control system according to the Power Standards Council TM certification system. In the above location and occupies with the requirements of Standard

FSC Chain of Custody Certification standard, No.: FSC-COC-40-004 V 3.0

For its untold story concerning

Manufacture and trading of wood product Certified FSC 100% and FSC Mix.

*Updated list of products & species on the FIC Database (<http://ic.fao.org>)

Type of certification: Single

Original certification date:	05-07-2022
Date of certification expiration:	05-07-2025
Expiration date:	04-07-2025
ISO Certificate code:	09-000-11
ISO Certificate No. / Version:	00000000
Contract No:	13077454
Issue date:	05-07-2022

Signed on behalf of Bureau: _____ Certification: M.Altre

The validity of this certificate shall be contingent upon the recipient's compliance with the conditions specified that a particular service is provided by the certificate holder. FPC certifies to the Contracted third parties, Prospective clients, applicants or staff by the certificate holder as only for the stated purpose(s) the scope of this certificate when the recipient (EE) has a clearly stated to order and Advertiser documents.

Dr. Michael Joseph Green, Department of Psychology, University of Illinois at Chicago, 4400 S. Maryland Ave., Chicago, IL 60647, USA. E-mail: mjgreen@uic.edu

© 2004 Blackwell Publishing Ltd, *Journal of Internal Medicine* 255: 105–112